Issue #5 01/06/22

2022 COMMERCIAL EQUIPMENT

List pricing effective from 01/06/2022



Blue (**)
Badger

Refrigeration 💥

Professional Laundry 📟

Warewashing 👤

Catering Equipment 🛱

INTRODUCTION

Our Commercial Range

Our carefully selected portfolio contains not only the market leading Commercial brands that you would expect, it also features lesser known brands that meet our ethos for quality and performance. We are proud of the manufacturers that we work closely with, carefully selecting the equipment to ensure reliability, build quality and most importantly the correct price point for you.

Why Choose Commercial?

Commercial equipment is designed and tested for its purpose. Commercial ensures reliability and consistent performance reducing the risk of break downs which can create a nuisance in the middle of a busy service. The build quality is harder wearing and capable of the usage it's designed for. To achieve a commercial status, the equipment is tested in many different environments and in many ways. This gives the quarantee that it will do what it is meant to do.

We are also very aware of the carbon footprint that our equipment has. Lighter duty, cheaper options have a shorter lifespan and so add to the ever-growing problem of waste disposal. We encourage our customers to invest in their equipment, allowing them to have confidence in the equipment as well as doing their bit for the environment too.

Warranty

All products come with a manufacturer's warranty. This will either be a Parts Only or a Parts & Labour Warranty and will be clearly marked per unit.

Parts Only Warranty: Replacement Parts will be provided but the labour cost of the engineer will not.

Parts & Labour Warranty: All costs are covered by the manufacturer (exclusions will always apply).

We are able to offer Parts & Labour Warranty for all products in this brochure but additional charges will apply to those that come with a manufacturer's Parts Only Warranty as standard.









CONTENTS

STORAGE REFRIGERATION WAREWASHING **Chest Freezers** 9-10 67-68 Glasswashers 69-70 Undercounter Fridges & Freezers 10-12 Dishwashers 71-72 Upright Fridges & Freezers 12-16 Passthrough Dishwashers **Baker Cabinets** 72 16 Conveyor Dishwashers Marine Cabinets 17 **BEVERAGE EQUIPMENT** Gastronorm Cabinets 17-24 Ice Makers 72-75 Fish Storage Cabinets 25 Slush & Sorbet Machines 75 Gastronorm Counters 25-30 Drink Mixers 75 Pizza Preparation Counters 30-32 Juice & Milk Dispensers 75-76 Saladette Counters 32-33 Beverage Blenders 76 Chef Bases 33 Coffee Machines & Grinders 76 Topping Wells 33-34 **Blast Chillers** 34-35 COOKING Coldrooms 35-37 77 Counter-Top & Standing Fryers Pasta Cookers 77 **DISPLAY REFRIGERATION** 78 Crepe & Pancake Makers **Bottle Coolers** 38-45 Contact & Salamander Grills 78 45-48 Display Chillers & Freezers Chargrills & Griddles 78-79 48-49 Wine Coolers & Cabinets Open Cupboards with Hobs 79 Glass Frosters 49 Ovens with Hobs 80 Display Chest Freezers 49-50 Combi Ovens 80 Ice Cream Chest Freezers 50 Electric & Gas Pizza Ovens 81 **Display Cabinets** 50-51 Heated Pizza Displays & Serving Bases 82 Refrigerated Islands 51 Programmable Microwaves 82 Serveover Counters 52-54 83 Slot & Conveyor Toasters Patisserie Counters 55 Merchandisers 55 **FOOD PREPARATION** Multidecks 56-57 Planetary & Spiral Dough Mixers 83 83 **MEDICAL APPLIANCES** Vegetable Prep Machines Stick Blenders & Attachments 84 Low Temperature Chest Freezers 58 **Gravity Feed Slicers** 84 58 Pharmacy Fridges 85 Meat Mincers Laboratory Fridges & Freezers 59 Cheese Cutters & Graters 85 Medical Dishwashers 59 **SERVERY & HOT DISPLAY COMMERCIAL LAUNDRY** Top Loading Washers & Dryers 60 Hot Cupboards & Tops 86 Front Loading Washers & Dryers 61-66 Heated Plate Dispensers 86

66

Carvery Units

86

Rotary Ironers & Steam Systems

STERLING PRO

Where quality and value meet! With all the features you would expect from a premium brand quality product, Sterling Pro offers the discerning caterer the best of both, while rapidly becoming the refrigeration engineer's choice.



A globally recognised brand whose commercial portfolio includes laundry, ice makers and refrigeration. Delivering their efficient 6th Sense Technology together with energy efficient designs, energy bills are kept to a minimum.

VESTFR#ST

Established in 1963, Vestfrost have grown to become one of the leading manufacturers of storage refrigeration. From chest freezers to uprights, wine display to medical storage, Vestfrost's cabinets offer excellent reliability backed up with an amazing 3 Year Parts and Labour warranty.



Manufactured in Germany, the Ecomax range of catering equipment, dish and glasswashers, together with the Ecomax Plus models, offer the quality and reliability users would expect from Hobart, at a great price.

105N

Atosa Catering Equipment is a leading hightech manufacturer that encompasses scientific research, design, innovation in sales of commercial refrigeration. Leading the way in Climate Class, energy consumption and full stainless-steel construction.



Adler is a high quality manufacturer of glass and dishwashers. Established in 1960 in Italy, Adler has over 250,000 machines in service around the world and this depth of knowledge means they produce reliable and functional products.

autonumis

Established in 1962 Autonumis are a privately owned light engineering company supplying refrigerated display cabinets, chilled drinks dispensers and vending equipment to major brand owners, distributors and end users.

CORECO

Spanish manufacturer Coreco is known throughout Europe as a producer of high quality refrigeration. Utilising the best of components together with their years of experience, the finished article is a premium product that will stand up to the harsh environment of a commercial kitchen.



Manufacturers of high quality warewashing and ice makers, and experts in their field, DC ensure only the highest quality components can be found in their products. The dish and glass washers are simple to maintain while providing customers with a cost-effective solution for their warewashing needs.

Diamond

European manufactured quality products at competitive prices, ranging from display refrigeration through to blast-chillers, food prep to cooking. Only the best products get the Diamond seal of approval.

W Flcold,

Exceptionally high quality chest freezers made using high quality components in their factory in Denmark. With over 40 years of experience in refrigeration production, the Elcold range includes some of the largest chest freezers available.



In its 65 year history, Fama has built up a strong reputation as one of the top manufacturers of food prep and cooking equipment in Europe. With products produced in their state-of-theart factory in northern Italy, Fama ensure only the highest quality components are used. Their range includes stick blenders, gravity slicers, meat mincers, cheese graters, veg prep machines and conveyor toasters.

FOSTER

One of the best known names in commercial refrigeration with over 70 years of expertise, Foster are at the cutting edge of refrigeration design. Their storage cabinets offer all the latest innovations and environmentally friendly options the commercial caterer could need.



Gamko is a leading manufacturer and supplier of professional drinks refrigeration for the bar, leisure and catering industries. Established in 1958 and sporting over 60 years of drinks cooling expertise, providing a flexible product range.

GRAM

Our Gram refrigeration units are engineered to perform in demanding environments, giving you peace of mind. With a smart interior and exterior design, our cabinets and counters offer quality cooling for your fresh produce.

HOSHIZAKI

Hoshizaki is a leading manufacturer of commercial kitchen and food service equipment. Their ice makers are designed with hygiene as a priority. Each ice cycle is made with fresh water, ensuring only the highest quality of ice. Its recognized for its precise shape, clarity and slow dilution.

Ice-A-cool

Cool, quality, cost effective refrigeration. Ice-A-cool is a new brand by Atosa for their green range of upright refrigeration, counters, preparation and display refrigeration units.

** ★LABCOLD**

A leading specialist manufacturer and supplier of medical and laboratory refrigerators and freezers. Labcold refrigerators and freezers have developed a reputation for being safe, secure and reliable.



Offering a range of pharmacy, ward and laboratory refrigeration - Lec Medical has been a key provider of medical refrigeration for over 70 years, utilising extensive industry knowledge to create innovative and exceptionally high quality appliances.

LIEBHERR

Family run since 1954, Liebherr brings exceptional German design combined with robust Austrian build quality. Reliable, energy efficient and cost effective refrigerated storage solutions that will last.



Established in Greece, 1965, Masterfrost has been producing professional ice makers for over 50 years - focusing purely on quality, efficiency, affordability and low running costs.

Miele

Miele Professional appliances are produced in their very own expert centres in Germany and Europe. Offering great value, the Miele laundry and dishwasher range offers customers long service life, low consumption of water and energy, and quick and reliable work processes.

MOFFAT

Commitment to quality and innovation has made E&R Moffat one of the the UK's leading catering equipment manufacturers, producing food displays, servery counters, backbar and kitchen equipment.

Prodis

Prodis embody their philosophy of "Economy Without Compromise", delivering high quality equipment without having to compromise on the quality, reliabilty or features. Their range features both storage and display refrigeration units.

SAMSUNG

Samsung follows a simple business philosophy: to devote it's talent and technology to creating superior products and services that contribute to a better global society. To achieve this, Samsung sets a high value on its people and technologies. Their range varies from commercial washers and dryes to heavy-duty microwaves.

Scotsman

For over 50 years Scotsman has been one of the world's leading manufacturers of ice machines. Today the brand offers hundreds of model variations, producing more different types of ice than any other manufacturer.



The Purever range of coldrooms offers quality at a great price. With multiple sizing options available in both chillers abd freezers, these rooms are an excellent choice. **NEW** TO COMMERCIAL EQUIPMENT

INTRODUCING STERLING PRO COBUS

Cobus is Sterling Pro's new entry level range of Commercial Refrigeration.

With all the quality and functionality you expect from Sterling Pro, *Cobus* carries a One Year Parts and Labour Warranty as standard and is backed by our industry leading marketing and service support.

Comprising of 35 models, we're confident you will find the right solution for your business within our stunning *Cobus* range listed below:

- Undercounter Refrigeration: Page 11

- Upright Refrigeration: Page 14

- Gastronorm Cabinets: Pages 18 & 20

- Fish Storage Cabinets: Page 25

- Gastronorm Counters: Pages 26 & 27

- Pizza Prep Counters: Pages 30 & 31

- Saladette Counters: Page 32

- Topping Wells: Page 34

- Blast Chillers: Page 34

- Upright Display Cabinets: Page 46



Scan this QR code to find out more about this range via the Blue Badger Wholesale website.











NEW TO COMMERCIAL EQUIPMENT

MASTERFROST PROFESSIONAL ICE MAKERS

Established in Greece, *Masterfrost* has been producing professional ice makers for over 50 years - focussing purely on quality, efficiency, affordability and low running costs.

During that time they have introduced several unique and innovative concepts that demonstrate their commitment and unrivalled expertise. They are still investing heavily in research and development today to ensure their machines meet the needs of today's global market.

Producing bullet-shaped ice cubes with a hole, the C-Series from *Masterfrost* uses an innovative hybrid water and air cooling system that enables the machines to work in extremely high ambient temperatures of up to +43°C. Unlike other water-cooled ice makers, it does this without using more water than an air-cooled equivalent. This system also aids efficiency and the current C-Series saves up to 35% more energy than a standard model.



Scan this QR code to find out more about this range via the Blue Badger Wholesale website.









STERLING PRO VESTFRSST

STERLING PRO MULTI-PURPOSE CHEST FREEZERS/DUMP FRIDGES

- Refrigerant: R600a

- Power supply: 13 amp plug
- White exterior finish
- Embossed aluminium interior
- 60mm thick insulation
- Digital temperature display
- Castors make models perfect for outdoor serving - including cans and bottles (x2 with breaks/x2 without)*





Perfect for standard food and drink storage - **including cans & bottles**



Perfect for meat storage - hanger included for hung meat



The factory set default for this range performs as a traditional chest freezer



2

Years Parts & Labour

Model	Lid Finish		acity / Nett	Temperature Modes	Fridge Mode Temperature	Chiller Mode Temperature	Freezer Mode Temperature	Max Ambient	Daily Energy Consumption	Baskets		ensions (/ Depth /		Price
SPC300	White	305L	295L	x2	N/A	-1°C to +1°C	-18°C to -24°C	+43°C	0.79 kWh/24hr	x1	1041	743	840	£718
SPC465	White	469L	459L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	+43°C	0.959 kWh/24hr	x2	1492	742.5	840	£858
SPC465SS	S/Steel	469L	459L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	+43°C	0.959 kWh/24hr	x2	1492	742.5	840	£898
SPC570	White	572L	561L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	+43°C	1.1 kWh/24hr	x3	1775	742.5	840	£998
SPC570SS	S/Steel	572L	561L	x3	+4°C to +6°C	-1°C to +1°C	-18°C to -24°C	+43°C	1.1 kWh/24hr	x3	1775	742.5	840	£1,078





VESTFROST SE COMMERCIAL CHEST FREEZERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- 100mm thick insulation
- Hammered aluminium interior
- Digital temperature display
- Counter-balanced lid
- Handle with lock security
- Skin condenser
- Static cooling
- Manual defrost
- Perfect for outbuildings
- Manufactured in Denmark

Model	Capa Gross		Temperature	Dimensions (mm) Width / Depth / Height		Energy Rating	Price	
SE255	247L	8.7	-18°C to -24°C	1260	695	850	E	£770
SE325	3231	11.4	-18°C to -24°C	1560	695	850	E	£846





PRODIS UNDERCOUNTER FRIDGES



- Refrigerant: R600a
- Power supply: 13 amp plug
- Energy rating: A
- Replaceable door gasket
- Digital controller - White ABS interior
 - Lockable door
 - Automatic defrost

Model	Finish	Capa Gross		Temperature		Dimensions (r Width / Depth / F		Price
HC201R	White	129L	78L	0°C to +8°C	600	600	850	£936
HC201RSS	S/Steel	129L	78L	0°C to +8°C	600	600	850	£1,002

PRODIS UNDERCOUNTER FREEZERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- Energy rating: A
- Replaceable door gasket
- Digital controller
- White ABS interior
- Lockable door
- Manual defrost

Model	Finish	Capa Gross		Temperature		nsions Depth/		Price
HC201F	White	129L	78L	-10°C to -25°C	600	600	850	£1,012
HC201FSS	S/Steel	129L	78L	-10°C to -25°C	600	600	850	£1,046

STERLING PRO LIEBHERR ATOSA Diamond

STERLING PRO COBUS STAINLESS

STEEL UNDERCOUNTERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior finish
- White ABS interior finish
- 50mm thick insulation
- Automatic defrost: SPR200S
- Manual defrost: SPF200S
- Static cooling system with fan

Gross Capacity

140L

140L

- Max ambient of 32°C
- Digital temperature display

Type

Fridge

Freezer

- Reversible doors
- Lockable doors

Model

SPR200S

SPF200S



LIEBHERR UNDERCOUNTER FRIDGE

Temperature

0°C to +10°C

-10°C to -22°C







- Refrigerant: R600a
- Power supply: 13 amp plug
- Stainless Steel door
- Automatic defrost
- Forced air cooling
- Reversible lockable door hinges
- Digital temperature display
- Manufactured in Austria

Model		Acity / Nett	Temperature		nsions / Depth /		Price
FKVESF1805	180L	160L	+1°C to +15°C	600	600	850	£1,048

LIEBHERR UNDERCOUNTER FREEZER







- Refrigerant: R600a
- Power supply: 13 amp plug
- Reversible lockable door hinges
- Stainless Steel door
- Temperature alarm
- Manual defrost Manufactured in Austria

Model		/ Nett	Temperature		nsions / / Depth /		Price
GGUESF1405	143L	133L	-15°C to -32°C	600	615	830	£1,188

ATOSA UNDERCOUNTER FRIDGE AND FREEZER



- Refrigerant: R600a/R290a
- Fridge energy rating: A+
- Freezer energy rating: B
- Power supply: 13 amp plug
- Embarco compressor
- Magnetic door gaskets

Model	Туре	Capacity	Temperature		nsions / Depth /		Price
MBC24R	Fridge	145L	+2°C to +8°C	605	660	825	£1,602
MBC24F	Freezer	145L	-17°C to -22°C	605	660	825	£1,760

DIAMOND UNDERCOUNTER FRIDGE AND FREEZER







- Refrigerant: R600a/R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- 2 adjustable grids
- 60mm polyurethane insulation
- Lockable door
- Reversible door
- Wheels at back, feet at front

Model	Туре	Capacity	Temperature		nsions Depth /		Price
PV201X-R6	Fridge	150L	-1°C to +6°C	626	600	850	£1,104
N201X-R2	Freezer	150L	-15⁵C to -22°C	626	600	850	£1,262



LIEBHERR LOW HEIGHT CHILLER







- Refrigerant: R600a
- Steel exterior
- Power supply: 13 amp plug
- Digital temperature display
- Moulded polystyrol insulation -Automatic defrost
- Reversible lockable door hinges - Manufactured in Austria

Model	Capacity Gross / Nett		Temperature		ensions / Depth /		Price
FKV2640	2401	2211	+1°C to +15°C	600	610	1250	£1.316

LEC TABLETOP FRIDGE & FREEZER







- Refrigerant: R600a
- Power supply: 13 amp plug
- White exterior
- Recessed handle
- Reversible door
- Automatic defrost


Model	Туре	Capa Gross		Temperature		nsions Depth/		Price
BRS50W	Fridge	32L	31L	0°C to +10°C	472	450	492	£230
BFS50W	Freezer	39L	35L	-18℃ to -25℃	472	450	492	£280

GRAM COMPACT 220 STORAGE CABINETS

- Refrigerant: R600a
- Fridge energy rating: A
- Freezer energy rating: B
- Power supply: 13 amp plug
- Fridge temp: +2°C to +12°C
- Freezer temp: -5°C to -22°C

- Digital temperature display

- ABS lining interior
- Right hand hinged door
- 2 adjustable shelves
- Automatic defrost
- Ventilated cooling
- Capacity Dimensions (mm)
 Width / Depth / Height Model Type Finish





Model	Туре	Finish	Capa Gross /	city ′Nett	Dime: Width /	nsions Depth /	(mm) Height	Price
COMPACT K 220 RG 2N	Fridge	S/Steel	125L	76L	595	640	830	£1,536
COMPACT F 220 RG 2N	Freezer	S/Steel	125L	76L	595	640	830	£1,596

LEC UNDERCOUNTER STAFF ROOM FRIDGE



- Refrigerant: R600a
- Power supply: 13 amp plug
- White plastic exterior
- Automatic defrost
- Removable door seal
- High impact polystyrene sheeting interior
- Internal lighting

Model	Capa Gross		Temperature		ensions / / Depth /		Price
SRS158W	160L	158L	0°C to +10°C	600	610	850	£578

VESTFROST UPRIGHT FRIDGES





- Refrigerant: R600a
- Fan assisted cooling
- Energy rating: E
- Automatic defrost - Power supply: 13 amp plug - Manufactured in Denmark

Model	Finish	Capa Gross	acity / Nett	Temperature		Dimensions (ma Width / Depth / He		Price
CFKS471-W	H White	361L	333L	+3°C to +10°C	595	595	1850	£1,068
CFKS471-S1	S/Steel	361L	333L	+3°C to +10°C	595	595	1850	£1,154

VESTFR@ST Prodi/ LIEBHERR

VESTFROST UPRIGHT FREEZERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- Digital temperature display
- Super-freeze function

3

Years Parts & Labour

2-3 Working Days Delivery

Years Parts

& Labour

2-3 Working Days Delivery

- Reversible door
- Manufactured in Denmark

Model	Finish	h Capacity Temperature Gross / Nett				Dimensions (mm) Width / Depth / Height			
CFS344-WH	White	334L	310L	-16°C to -25°C	595	600	1850	£1,134	
CFS344-STS	S/Steel	334L	310L	-16°C to -25°C	595	600	1850	£1,218	

PRODIS 361LTR UPRIGHT FRIDGES



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Front venting
- Fan assisted cooling
- Automatic defrost
- Digital temperature control
- Reversible door

Model	Finish	Capacity Gross / Net	Temperature		Dimensions (m Width / Depth / He		Price
HC401R	White	361L 265	0°C to +8°C	600	600	1850	£1,618
HC401RSS	S/Steel	361L 265	_ 0°C to +8°C	600	600	1850	£1,662

PRODIS 361LTR UPRIGHT FREEZERS



- Refrigerant: R600a
- Energy rating: B
- Power supply: 13 amp plug
- Front venting



- Static cooling
- Manual defrost
- Digital temperature control
- Reversible door

Model	Finish	Capacity Gross / Nett	Temperature	Dimensions (mm) Width / Depth / Height			Price	
HC401F	White	361L 265L	-10°C to -25°C	600	600	1850	£1,694	
HC401FSS	S/Steel	361L 265L	-10°C to -25°C	600	600	1850	£1,738	

PRODIS 620LTR UPRIGHT FRIDGES



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Front venting
- Fan assisted cooling
- Automatic defrost
- Digital temperature control
- Reversible door

Model	Finish	Capacity Gross / Nett	Temperature		nsions Depth		Price
HC601R	White	620L 476L	0°C to +8°C	777	695	1890	£1,936
HC601RSS	S/Steel	620L 476L	0°C to +8°C	777	695	1890	£1,980

PRODIS 620LTR UPRIGHT FREEZERS



- Refrigerant: R600a
- Energy rating: B
- Power supply: 13 amp plug
- Front venting
- Static cooling
- Manual defrost
- Digital temperature control
- Reversible door

Model	Finish	Capacity Gross / Nett	Temperature	Dime Width	Price		
HC601F	White	620L 476L	-10°C to -25°C	777	695	1890	£2,090
HC601FSS	S/Steel	620L 476L	-10°C to -25°C	777	695	1890	£2,068

LIEBHERR SINGLE DOOR FRIDGES



- Refrigerant: R600a
- Energy rating: D
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Door and temperature alarm
- Reversible lockable door hinges
- Manufactured in Austria

Model	Finish	Capa Gross	acity / Nett	Temperature	Dime: Width /	Price		
GKV 4310	White	436L	327L	+1°C to +15°C	597	680	1900	£1,804
GKV 4360	S/Steel	436L	327L	+1°C to +15°C	597	680	1900	£1,944

STERLING PRO COBUS STAINLESS STEEL UPRICE

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior finish
- White ABS interior finish
- 50mm thick insulation
- Automatic defrost: Fridges
- Manual defrost: Freezers
- Static cooling system with fan

3601

-10°C to -22°C

600

Max ambient of 32°C


Туре

- Digital temperature display
- Reversible doors
- Lockable doors

SPR400S Fridge

SPF400S Freezer

Model



610

1850

GHTS	SPR600S	Year Parts & Labour
£1,298	£1,598	2-3 Working Days Delivery
NEW	£1,358	£1,678

Model	Type	Gross Capacity	Temperature	Dime Width /	nsions / Depth /	(mm) Height	Energy Rating	Price
SPR600S	Fridge	580L	0°C to +10°C	775	730	1850	С	£1,598
SPF600S	Freezer	580L	-10°C to -22°C	775	730	1850	В	£1,678





2

£1,358

STERLING PRO GREEN STAINLESS STEEL UPRIGHTS

- Fridge refrigerant: R600a
- Freezer refrigerant: R290
- Power supply: 13 amp plug
- Stainless Steel exterior finish
 - Aluminium interior finish
 - Automatic defrost
 - Ventilated cooling
 - Digital controller
 - Adjustable shelves
 - Lockable door
 - Castors fitted as standard
 - Manufactured in Europe

Model	Туре	Capa Gross	acity / Nett	Temperature	Dimer Width /	Depth ,	(mm) / Height	Price
SPR450V	Fridge	335L	307L	+1°C to +8°C	600	700	1975	£1,798
SPN450V	Freezer	335L	307L	-18°C to -22°C	600	700	1975	£1,998

LIEBHERR SINGLE DOOR FREEZERS



- Refrigerant: R290a
- Energy rating: D
- Power supply: 13 amp
- Static cooling
- Years Parts & Labour 3-5 Working Days Delivery £1,860
- Digital temperature display
- Door and temperature alarm
- Reversible lockable door hinges
- Manufactured in Austria

Model	Finish		acity / Nett	Temperature		nsions Depth/		Price
GG 4010	White	382L	348L	-14°C to -28°C	597	680	1900	£1,860
GG 4060	S/Steel	382L	348L	-14°C to -28°C	597	680	1900	£1,972

LIEBHERR FRIDGE/FREEZER





Days Delivery

- Refrigerant: R600a
- Power supply: 13 amp plug
- Forced air cooling
- Food safe plastic interior
- Digital temperature display
- Door and temperature alarm
- Dual controller and compressor
- Manufactured in Austria

Model	Capa Gross	city / Nett	Temperature Fridge / Freezer		nsions Depth		Price
GCV 4060	254L	107L	+1°C to +15°C / -14°C to -28°C	597	665	2003	£2,686

LIEBHERR

LIEBHERR UPRIGHT FRIDGES

- Refrigerant: R600a Energy rating: D
- Power supply: 13 amp plug
- Digital temperature display
- Forced air cooling
- Reversible door hinges
- Stainless Steel exterior
- Food safe polystyrol interior
- Automatic defrost
- Adjustable shelves
- Plastic coated grid shelves
- GKVESF 5445 shelving: 5
- GKVESF 4145 shelving: 6
- Manufactured in Austria

Model		acity / Nett	Temperature		ensions / Depth /		Price
GKVESF 4145	373L	286L	+1°C to +15°C	600	610	1800	£1,552
GKVESE 5445	5541	4451	+1°C to +15°C	750	730	1640	£1 748



LIEBHERR SINGLE DOOR FRIDGES



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Door and temperature alarm
- S/Steel model includes castors
- Manufactured in Austria

Model	Finish	Capacity Gross / Nett	Temperature		nsions Depth		Price	
GKV 5730	White	586L 432L	-2°C to +15°C	747	750	1864	£2,336	
GKV 5790	S/Steel	586L 432L	-2°C to +15°C	747	750	1864	£2,602	

LIEBHERR SINGLE DOOR FREEZERS



- Refrigerant: R290a
- Energy rating: C
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display
- Door and temperature alarm
- S/Steel model includes castors
- Manufactured in Austria

Model	Finish	Capa Gross	acity / Nett	Temperature		nsions Depth		Price
GGV 5010	White	478L	337L	-14°C to -28°C	750	750	1864	£3,204
GGV 5060	S/Steel	478L	337L	-14°C to -28°C	750	750	1864	£3,358

LIEBHERR SINGLE DOOR FRIDGES



- Refrigerant: R600a
- Energy rating: C
- Power supply: 13 amp plug
- Self-closing doors
- Digital temperature display
- Door and temperature alarm
- S/Steel model includes castors
- Manufactured in Austria

Model	Finish	Capacity Gross / Nett	Temperature	Dimensions (m Width / Depth / He			Price
GKV 6410	White	664L 491L	+1°C to +15°C	747	750	2064	£2,406
GKV 6460	S/Steel	664L 491L	+1°C to +15°C	747	791	2064	£2,490

LIEBHERR SINGLE DOOR FREEZERS



- Refrigerant: R290a
- Energy rating: C
- Power supply: 13 amp plug
- Self-closing doors
- Digital temperature display
- Door and temperature alarm
- S/Steel model includes castors Manufactured in Austria

Model	Finish	Capa Gross	acity / Nett	Temperature		nsions Depth	(mm) / Height	Price
GGV 5810	White	556L	377L	-14°C to -28°C	747	791	2064	£3,414
GGV 5860	S/Steel	556L	377L	-14°C to -28°C	747	791	2064	£3,554



GRAM COMPACT 420 STORAGE CABINETS

- Refrigerant: R600a
- Fridge energy rating: C
- Freezer energy rating: C
- Power supply: 13 amp plug
- Fridge temp: +2°C to +12°C
- Freezer temp: -5°C to -22°C
- ABS lining interior
- Right hand hinged door
- 5 adjustable shelves
- Automatic defrost
- Ventilated cooling
- Digital temperature display





Model	Туре	Finish	Capa Gross	city / Nett	Dimer Width /	sions Depth/	(mm) Height	Price
COMPACT K 420 LG C2 5W	Fridge	White	346L	265L	595	640	1900	£1,476
COMPACT F 420 LG C2 5W	Freezer	White	346L	265L	595	640	1900	£1,578

£1,476

Model	Туре	Finish	Capa Gross	city / Nett	Dimer Width /	nsions Depth /	(mm) Height	Price
COMPACT K 420 RG C2 5N	Fridge	S/Steel	346L	265L	595	640	1900	£1,806
COMPACT F 420 RG C2 5N	Freezer	S/Steel	3461	2651	595	640	1900	£1.890



GRAM STANDARD PLUS STORAGE CABINETS

- Refrigerant: R290a
- Fridge energy rating: CFreezer energy rating: D
- Power supply: 13 amp plug
- Fridge temp: +2°C to +12°C
- Freezer temp: -5°C to -25°C
- Fan assisted cooling system
- Reversible & self-closing doors
- 3 Stainless Steel shelves (SSG)
- 3 grey plastic coated shelves (FFG)High temperature alarm
 - Available with castors or legs

Model	Type	Finish	Gross	/ Nett		Depth /		Price
PLUS K 69 FFG	Fridge	S/Steel - AISI 430	610L	453L	700	895	2125	£2,820
PLUS F 69 FFG	Freezer	S/Steel - AISI 430	610L	453L	700	895	2125	£3,264

Model	Туре	Finish	Capa Gross	city / Nett	Dimer Width /			Price
PLUS K 69 SSG	Fridge	S/Steel - AISI 304	610L	453L	700	895	2125	£3,204
PLUS F 69 SSG	Freezer	S/Steel - AISI 304	610L	453L	700	895	2125	£3,696

GRAM BAKER STORAGE CABINETS

- Refrigerant: R600a/R290a
- Fridge energy rating: B
- Freezer energy rating: C
- Power supply: 13 amp plug
 Fridge temp: -5°C to +12°C
- Freezer temp: -5°C to -25°C
- Bakery support sets: 25
- Pedal door opening
- ABS lining interior
- Right hand hinged door
- Air circulation system
- Automatic defrost



Model	Туре	Doors	Finish	Capa	acity / Nett	Dime Width /	nsions Depth	(mm) / Height	Price
BAKER M 70 LC	Fridge	1	White	610L	392L	700	905	2125	£4,170
BAKER F 70 LC	Freezer	1	White	610L	392L	700	905	2125	£4,518

Model	Туре	Doors	Finish	Capa Gross	city / Nett	Dime Width	nsions Depth	(mm) / Height	Price
BAKER M 70 CC	Fridge	1	S/Steel	610L	383L	700	905	2125	£4,284
BAKER F 70 CC	Freezer	1	S/Steel	610L	383L	700	905	2125	£4,650

GRAM TOSA LIEBHERR FOSTER Ice-A-cool

GRAM MARINE PLUS STORAGE CABINETS

- Fridge refrigerant: R134aFreezer refrigerant: R404a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Stainless Steel interior
- Marine legs allow fixing to floor
- x4 Stainless Steel marine shelves
- Right hand hinged door with lock
- Internal LED lighting
- Rapid thaw
- Dry cooling
- Air circulation system

Model	Туре	Capacity Gross / Nett		Temperature	Dime Width	Price		
PLUS M 70	Fridge	610L	536L	-5°C to +12°C	735	971	2125	£4,642
PLUS F 70	Freezer	610L	536L	-5°C to -25°C	735	971	2125	£4,966



ATOSA SINGLE DOOR CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: C
- Freezer energy rating: D
- Power supply: 13 amp plug
- Forced air system
- S/Steel exterior & interior

Model	Туре	Capacity Gross / Nett		Temperature	Dime Width /	Price			
YBF9206GR	Fridge	450L	410L	+2°C to +8°C	600	745	1945	£2,334	
YBF9207GR	Freezer	450L	410L	-17°C to -22°C	600	745	1945	£2,720	

LIEBHERR SINGLE DOOR CABINETS



- Refrigerant: R290a
- Fridge energy rating: B
- Freezer energy rating: C
- Power supply: 13 amp plug
- Forced air system
- Manufactured in Austria

Model	Model Type		Acity / Nett	Temperature	Dime Width /	Price		
GKPV 6570	Fridge	597L	465L	-2°C to +15°C	700	830	2120	£4,884
GGPV 6570	Freezer	597L	465L	-10°C to -26°C	700	830	2120	£5,668

FOSTER ECOPRO G3 SINGLE DOOR GASTRONORM CABINETS



- Refrigerant: R290
- Fridge energy rating: A
- Freezer energy rating: B
- Power supply: 13 amp plug
- Heavy-duty forced air system
- Stainless Steel exterior

Model	Туре	Capacity Gross / Nett		Temperature	Dimensions (mm) Width / Depth / Heigh			Price
EP700H/41-102	Fridge	600L	482L	+1°C to +4°C	700	855	2080	£3,418
EP700L/41-106	Freezer	6001	4821	-18°C to -22°C	700	855	2080	£4.376

ICE-A-COOL UNDER-MOUNTED GASTRONORM FRIDGE



- Refrigerant: R600a
- Energy rating: D
- Power supply: 13 amp



1



- Stainless Steel exterior
- Under-mounted compressor
 - Self-closing and stay open door

Model	Capacity	Temperature		Dimensions (mm) Width / Depth / Height				
ICE8950	580L	-5°C to +5°C	685	800	2112	£1,722		

STERLING PRO COBUS SINGLE DOOR GASTRONORM CABINETS

Refrigerant: R290aEnergy rating: D

- Power supply: 13 amp plug

Fridge energy consumption: 887 kWh/year
 Freezer energy consumption: 2366 kWh/year
 SS201 Stainless Steel exterior and interior

x3 adjustable GN2/1 shelvesGrid dimensions: 534 x 650mm

- 60mm thick insulation

- Automatic defrost

- Ventilated cooling system
- Max ambient of 32°C
- Lockable doors

Model	Туре	Capa Gross		Temperature		nsions Depth/		Price
SPR160PV	Fridge	600L	383L	-2°C to +8°C	680	810	2010	£1,798
SPF160NV	Freezer	600L	383L	-18°C to -22°C	680	810	2010	£1,998



Years Parts & Labour SPIGOOR £2,138 EU SNIGOOL £2,328 M SP SP SN SN SN SN

STERLING PRO GREEN SINGLE DOOR CABINETS

Refrigerant: R290aEnergy rating: D

- Power supply: 13 amp plug

- Stainless Steel interior and exterior

- Heavy-duty forced air system

- Hinged doors with automatic return

- 18 grid level positions for increased capacity

- Grid dimensions: 560 x 542mm

- 50mm thick (CFC-free) polyurethane insulation

- Lockable door with replacement gaskets

Model	Туре	Type Door Capacity Temperature Hinge Gross / Nett		Ooor Capacity T linge Gross / Nett			(mm) Height	Price	
SPI600R	Fridge	Right	600L	386L	-2°C to +8°C	693	726	2067	£2,138
SPI600L	Fridge	Left	600L	386L	-2°C to +8°C	693	726	2067	£2,138
SNI600R	Freezer	Right	600L	386L	-18°C to -22°C	693	726	2067	£2,328
SNI600L	Freezer	Left	600L	386L	-18°C to -22°C	693	726	2067	£2,328

STERLING PRO GREEN SINGLE DOOR GASTRONORM CABINETS

Refrigerant: R290aEnergy rating: D

- Power supply: 13 amp plug

- Stainless Steel exterior and interior

- 304 Stainless Steel embossed rack support

- Lockable doors with replaceable gaskets

- Full length integrated handles

- 60mm thick (CFC-free) polyurethane insulation

- Intelligent air-circulation system

- Heavy-duty forced air system

Model	Туре	Door Hinge	Capa Gross	acity / Nett	Temperature		nsions Depth /		Price
SPI700R	Fridge	Right	700L	461L	-2°C to +8°C	653	842	2040	£2,036
SPI700L	Fridge	Left	700L	461L	-2°C to +8°C	653	842	2040	£2,036
SNI700R	Freezer	Right	700L	461L	-18°C to -22°C	653	842	2040	£2,328
SNI700L	Freezer	Left	700L	461L	-18°C to -22°C	653	842	2040	£2,328



STERLING PRO ATOSA

STERLING PRO VANTAGE PREMIUM SINGLE DOOR GASTRONORM CABINETS

- Refrigerant: R290a

Power supply: 13 amp plug

Fridge energy consumption: 333 kWh/year

- Freezer energy consumption: 2231 kWh/year
- High quality Stainless Steel exterior and interior
- Hinged doors with automatic return
- Reversible hinges that can be adapted on-site
- 24 grid level positions for increased loading capacity
- 80mm thick (CFC-free) polyurethane insulation
- Extra large touch screen controller
- Forced draft evaporator with anti-corrosion cover
- Intelligent air-circulation system
- Max ambient of 40°C
- Plastic coated wire shelves
- Low energy consumption LED lighting
- HACCP alarm system included
- Door switch that stops the fan when door is opened
- Supply voltage: 230/1N 50Hz
- Removable pull-out/push-in door gasket
- Rounded edge interior to reduce potential traps
- See pages 17 & 18 for more Vantage range features




Door

Hinge

Туре

Model





CLIMATE CLASS 5

XPI700R Fridge Right 7001 4811 XPI700L Fridge Left 7001 4811 -2°C to +8°C XNI700R Freezer Right 7001 481I -18°C to -22°C 693 875 2119 D 5 £3,326 XNI700L 700L 481L -18°C to -22°C 693 875 2119 D £3,326

ATOSA HEAVY-DUTY SINGLE DOOR CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: B
- Freezer energy rating: C
- Power supply: 13 amp plug
- Forced air system
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature	Dime Width /	Price		
MBF8185GR	Fridge	610L	+2°C to +8°C	685	800	2135	£2,492
MBF8181GR	Freezer	610L	-17°C to -21°C	685	800	2135	£2,928

ATOSA SINGLE DOOR HEAVY-DUTY GASTRONORM CABINETS

£3,088



- Refrigerant: R600a/R290a
 - Power supply: 13 amp plug
- Fridge energy rating: B
- Forced air system

2

Years Parts & Labour

-3 Working

EU

£3,326

- Stainless Steel exterior - Freezer energy rating: C

	Model	Туре	Capacity	Temperature		(mm) / Height	Price	
М	MBF8116HD Fr		670L	0°C to +8°C	730	800	2065	£2,492
М	BF8113HD	Freezer	670L	-17°C to -22°C	730	800	2065	£2,928




















High efficiency components

Low energy compressors, large area evaporators and high performing electronic fans that minimize temperature gains, reducing energy consumption.



The XPI700 refrigerator achieves the highest A Rating under the conditions defined in climate class 5, ensuring the maximum energy savings.

*The label complies with the delegated regulation (UE) 2015/1094 of the commission of 5th May 2015





Integrated Stainless Steel handle

Ergonomic, Stainless Steel made, robust, perfectly integrated handle ensures practical opening of the door that avoids dust and dirt collection and is extremely easy to clean.

Compact controller

Extra large, screen touch controller with energy saving strategy and HACCP alarm system, which allows an easy temperature parameter adjustment ensuring the best food preservation. It also offers a Bluetooth data logger as an option.





Insulation - 80mm thickness

80mm thickness CFC-free, high-density (40kg/m³) polyurethane insulation, guarantees exceptional, long-term insulation and energy savings in all Vantage cabinets.

Evaporation of defrost water

Hot gas coming from the compressor is used to automatically evaporate defrost water, instead of by means of heating elements, achieving even less energy consumption.





Intelligent air circulation system

Perfect temperature consistency with its innovative airflow design that encircles the food and ensures its proper conservation.

Stamped guides, sturdy wire grids

Stamped guides with rounded edges enable more convenient cleaning operations without any difficulties. Plastic coated wire grids allow storage of different packaging types and have a maximum loading capacity of up to 40kg.





Rounded edge interior

Easier cleaning operations to reduce potential dirt traps and optimum hygiene.

Internal LED lighting


Low energy consumption LED lighting to display the interior, standard in all Vantage upright models.






Removable door gasket

Removable pull-out/push-in magnetic door gasket to keep maximum hygiene and maintain the insulating properties.



Hinged doors with automatic return for a perfect closing that minimize temperature gain and reduces energy consumption. Doors have a 120° dwell position and closes automatically at less than 90°. Door hinges are also reversible.





STERLING PRO FOSTER ATOSA

STERLING PRO VANTAGE PREMIUM DOUBLE DOOR GASTRONORM CABINETS

- Refrigerant: R290a

- Power supply: 13 amp plug
- XPI142 fridge energy consumption: 540 kWh/year
- XPI142V fridge energy consumption: 829 kWh/year
- Freezers energy consumption: 4482 kWh/year
- High quality Stainless Steel exterior and interior
- Hinged doors with automatic return
- Reversible hinges that can be adapted on-site
- 24 grid level positions for increased loading capacity
- 80mm thick (CFC-free) polyurethane insulation
- Extra large touch screen controller
- Forced draft evaporator with anti-corrosion cover
- Intelligent air-circulation system
- Max ambient of 40°C
- Plastic coated wire shelves
- Low energy consumption LED lighting
- HACCP alarm system included
- Door switch that stops the fan when door is opened
- Supply voltage: 230/1N 50Hz
- Removable pull-out/push-in door gasket
- Rounded edge interior to reduce potential traps
- See pages 17 & 18 for more Vantage range features





Model	Туре	Capaci Gross / N	acity Temperature		Dimer Width /			Energy Rating	Climate Class	Price
XPI142	Fridge	1400L 9	62L	-2°C to +8°C	1358	875	2119	Α	4	£4,156
XNI142	Freezer	1400L 9	62L	-18°C to -22°C	1358	875	2119	D	4	£4,988
XPI142V	Fridge	1400L 9	62L	-2°C to +8°C	1358	875	2119	С	5	£4,394
XNI142V	Freezer	1400L 9	62L	-18°C to -22°C	1358	875	2119	D	5	£5,344

2 Years Parts £4,394 2-3 Working Days Delivery EU CLIMATE CLASS 5 £5,344

FOSTER SLIMLINE DOUBLE DOOR CABINETS



- Refrigerant: R290
- Fridge energy rating: D
- Freezer energy rating: F
- Power supply: 13 amp plug
- Automatic defrost
- Stainless Steel exterior

Model	Туре	Capa Gross	acity / Nett	Temperature		nsions Depth /		Price
FSL800H/11-110	Fridge	800L	536L	+1°C to +4°C	1200	705	1900	£4,370
FSI 800I /11-173	Freezer	8001	5361	-18°C to -21°C	1200	705	1900	£5.055

ATOSA DOUBLE DOOR SLIMLINE CABINETS



- Refrigerant: R600a/R290a
- Power supply: 13 amp plug
- Fridge energy rating: CFreezer energy rating: D
- Heavy-duty Embarco compressor
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature		nsions Depth	(mm) / Height	Price
YBF9218GR	Fridge	900L	+2°C to +8°C	1200	745	1945	£2,936
YBF9219GR	Freezer	900L	-17°C to -22°C	1200	745	1945	£3,396

ATOSA UNDER-MOUNTED DOUBLE DOOR CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: C
- Freezer energy rating: D
- Power supply: 13 amp plug
- Self-closing doors
- S/Steel exterior & interior

Model	Туре	Capacity	Temperature		nsions Depth	(mm) / Height	Price
MBF8187GR	Fridge	1300L	+2°C to +8°C	1382	800	2135	£3,660
MBF8183GR	Freezer	1300L	-17°C to -21°C	1382	800	2112	£4,206

ATOSA DOUBLE DOOR HEAVY-DUTY GASTRONORM CABINETS



- Refrigerant: R600a/R290a
- Fridge energy rating: B
- Freezer energy rating: C
- Power supply: 13 amp plug
- Heavy-duty Embarco compressor
- Stainless Steel exterior

Model	Туре	Capacity	Temperature		nsions Depth	(mm) / Height	Price
MBF8117HD	Fridge	1300L	0°C to +8°C	1314	800	2065	£3,660
MBF8114HD	Freezer	1300L	-17°C to -22°C	1314	800	2065	£4,206

ICE-A-COOL DOUBLE DOOR **UNDER-MOUNTED CABINET**



- Refrigerant: R290a
- Energy rating: D
- Power supply: 13 amp plug
- Magnetic door gaskets
- Stainless steel exterior
- Self-closing doors
- Fan assisted cooling
- Digital temperature display

Model	Capacity	Temperature		nsions Depth	Price	
ICE8960	1300L	-5°C to +5°C	1382	800	2112	£2,318

FOSTER ECOPRO G3 DOUBLE DOOR **TOP-MOUNTED CABINETS**



- Refrigerant: R290
- Fridge energy rating: B
- Freezer energy rating: D
- Power supply: 13 amp plug
- Heavy-duty forced air system

Dimensions (mm)

- Stainless Steel exterior

Model	Type	Gross ,	/ Nett	Temperature	Width /	Depth /	Height	Price
EP1440H/41-166	Fridge	1350L	965L	+1°C to +4°C	1440	855	2080	£5,256
EP1440L/41-170	Freezer	1350L	965L	-18°C to -21°C	1440	855	2080	£6,257

LIEBHERR DOUBLE DOOR **GASTRONORM CABINETS**



- Refrigerant: R290a
- Energy rating: C
- Power supply: 13 amp plug
- Forced air cooling
- Stainless Steel exterior
 - Can be split for difficult delivery
 - Manufactured in Austria

Model	Туре	Capa Gross /		Temperature	Dimer Width /	nsions Depth /		Price
GKPV 1470	Fridge	1361L	1056L	-2°C to +15°C	1430	830	2120	£8,188
GGPV 1470	Freezer	1361L	1056L	-10°C to -26°C	1430	830	2120	£9,196

ATOSA TRIPLE DOOR GASTRONORM CABINETS



- Refrigerant: R290/R404a
- Energy rating: G
- Power supply: 13 amp plug
- Forced air cooling
- Digital temperature display - Stainless Steel exterior

Model	Туре	Capacity	Temperature	Dime: Width /	nsions Depth /		Price	
YBF9237GR	Fridge	1390L	+2°C to +8°C	1800	745	1945	£3,646	
YBF9242GR	Freezer	1390L	-17°C to -22°C	1800	745	1945	£4,774	

STERLING PRO COBUS FISH STORAGE



- Refrigerant: R290a
- Energy rating: D
- Power supply: 13 amp plug
- 60mm thick insulation
- SS201 Stainless Steel exterior
- Fish storage drawers: 7

Model		acity / Nett			ensions / Depth /		Price
SPR601FISH	600L	383L	-2°C to +8°C	680	810	2010	£1,998

STERLING PRO GREEN FISH STORAGE



- Refrigerant: R290a
- Power supply: 13 amp plug
- Built-in drainage system
- Heavy-duty forced-air system
- Stainless Steel exterior
- Fish storage drawers: 7

Model	Hinge	Capacity	Temperature		nsions Depth		Price
SPIF700R	Right	171L	-1°C to -4°C	760	729	2005	£3,030
SPIF700L	Left	171L	-1°C to -4°C	760	729	2005	£3,030

DIAMOND FISH STORAGE CABINET



- Year Parts Only
- 2-4 Weeks Lead-Time

- Refrigerant: R600a

Automatic defrost

- Electronic regulator
- Power supply: 13 amp plug
- Drainage tap Stainless Steel exterior

Model	Gross Capacity	Temperature		Dimensions (mm) Width / Depth / Height				
IDS40-R6	400L	0°C to +5°C	600	600	1890	£2,340		

FOSTER ECOPRO G3 FISH STORAGE **CABINET**







- Refrigerant: R290
- Thermal break and door heater
- Power supply: 13 amp plug Fish storage boxes: 7 - Automatic defrost
 - Stainless Steel exterior

Model	Gross Capacity	Temperature		nsions / Depth /		Price
EP700F/41-232	600L	-1°C to +1°C	700	855	2080	£7,342

CORECO FISH STORAGE CABINETS



- 1. Year Parts

- Refrigerant: R290a
- Ventilated refrigeration system
- Power supply: 13 amp plug Automatic defrost
- Fish storage boxes: 7/14 Stainless Steel exterior

Model	Doors	Gross Capacity	Temperature		Dimensions (Width / Depth /		Price
AP-750	Single	645L	-4°C to +4°C	695	800	2125	£3,510
AP-1002	Double	1404L	-4°C to +4°C	1395	800	2125	£5,598

ICE-A-COOL FRIDGE COUNTERS



- Refrigerant: R600a
- Energy rating: A
- Power supply: 13 amp plug
- Magnetic door handle
- Embraco compressor
- Stainless Steel exterior

Model	Doors	Capacity Gross / Nett	Temperature		nsions Depth /		Price
ICE3801	2	300L 169L	+2°C to +8°C	900	700	939	£1,178
ICE3851	3	380L 254L	+2°C to +8°C	1365	700	939	£1,548

1

Year Parts & Labour

2-3 Working Davs Deliver

STERLING PRO COBUS UNDERMOUNTED

FRIDGE COUNTERS

- SPU201 refrigerant: R600 - SPU303 refrigerant: R290

Power supply: 13 amp plug

SS201 Stainless Steel exterior & interior

SPU201 energy consumption: 830 kWh/year

SPU303 energy consumption: 1294 kWh/year

GN1/1 shelving: x2 SPU201 / x3 SPU303

Grid dimensions: 333 x 530mm

35mm thick insulation

Static cooling system with fan



JEW

£1,598





STERLING PRO COBUS GASTRONORM FREEZER COUNTERS

Temperature

-18°C to -22°C

-18°C to -22°C 1360

- Refrigerant: R290

- Power supply: 13 amp plug

STERLING PRO

- SS201 Stainless Steel exterior and interior

- SPCF200N energy consumption: 2592 kWh/year

- SPCF300N energy consumption: 3103 kWh/year - GN1/1 shelving: x2 SPCF220N / x3 SPCF300N

- Grid dimensions: 333 x 530mm

- 60mm thick insulation

- Ventilated cooling system

- Automatic defrost

Model

SPCF200N

SPCF300N

- Max ambient of 32°C


- Castors fitted as standard

Doors Capacity
Gross / Nett

282L 220L







- S/Steel exterior and interior




2

Years Parts & Labour

2-3 Working Days Delivery

STERLING PRO GREEN 700MM DEEP FREEZER COUNTERS WITH PLAIN TOP

- Refrigerant: R290a
- Power supply: 13 amp plug
- Intelligent air-circulation system
- Castors fitted as standard
- Drawer options available
- Heavy-duty forced air system
- S/Steel exterior and interior
- S/Steel embossed rack support
- Automatic defrost
- Carel controller
- Self-closing doors



SNI-7-180-30-SF **£2,612**





Doors Nett Capacity Temperature

121L

-2°C to +8°C

-2°C to +8°C

Model SPI-B-135

SPI-B-180

Energy

Dimensions (mm) Width / Depth / Heigh



Price

£2,090

£2,732



ATOSA SLIMLINE COUNTERS

- Fridge Refrigerant: R600a - Freezer refrigerant: R290a - Power supply: 13 amp plug

- Stainless Steel exterior and interior
- Heavy-duty Embraco compressor
- Self-closing and stay open door
- Easy to clean black plastic door handle
- Magnetic door gaskets
- Recessed door handle

Model	Туре	Doors	Gross Capacity	Temperature	Energy Rating		nsions Depth/		Price
YPF9022GR	Fridge	2	270L	+2°C to +8°C	В	1200	700	840	£2,032
YPF9027GR	Freezer	2	270L	-17°C to -21°C	С	1200	700	840	£2,182
YPF9032GR	Fridge	2	370L	+2°C to +8°C	В	1500	700	840	£2,290
YPF9037GR	Freezer	2	370L	-17°C to -21°C	С	1500	700	840	£2,440
YPF9042GR	Fridge	3	470L	+2°C to +8°C	В	1800	700	840	£2,384
YPF9047GR	Freezer	3	470L	-17°C to -21°C	С	1800	700	840	£2,678



2

EU

£2,090


2

2

Years Parts & Labour

ATOSA HEAVY-DUTY RANGE COUNTERS

- Refrigerant: R290a (EPF3422HD: R600a)





STERLING PRO COBUS GRANITE-TOP PIZZA PREP COUNTERS

- SPU902PZ refrigerant: R600 - SPU903PZ refrigerant: R290
- Power supply: 13 amp plug
- SS201 Stainless Steel exterior & interior
- Solid granite-top surface
- GN1/1 shelving: x2 SPU902PZ / x3 SPU903PZ
- Grid dimensions: 323 x 560mm
- 35mm thick insulation
- Static cooling system with fan
- Automatic defrost



SPU903PZ £1,598

1

Year Parts

2-3 Working

Days Deliver

STERLING PRO

SPI-7-225-40-GR

615L 285L

 $-2^{\circ}C$ to $+8^{\circ}C$

2242

700

1080



£3,326



1

2-3 Working Days Delivery



Max ambient of 32°C



STERLING PRO GREEN PIZZA PREP COUNTERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior & interior
- Grid level positions: 6
- 50mm thick polyurethane insulation
- Ventilated cooling system
- Automatic defrost
- Max ambient of 30°C
- Intelligent air-circulation system

Gross

Capacity

2741

428L

- Adjustable shelving
- Self-closing doors

Model

SPIZ-135

SPIZ-180

Castors fitted as standard

Doors GN Pans

GN1/4 x 8

GN1/4 x 10





ATOSA OPEN-TOP SANDWICH PREP TABLE



- Refrigerant: R134a
- Embraco compressor
- Power supply: 13 amp plug
- 1/3 pans fitted as standard
- Heavy-duty forced air system S/Steel exterior & interior

Model	Doors	Capacity	Temperature		nsions Depth	(mm) / Height	Price
MSF8302GR	2	379L	+2°C to +8°C	1225	763	1124	£3,280
MSF8303GR	2	487L	+2°C to +8°C	1530	763	1124	£3,624
MSF8304GR	3	598L	+2°C to +8°C	1850	763	1124	£4,112

ICE-A-COOL MEDIUM-DUTY SALADETTE COUNTERS







- Refrigerant: R600a
- S/Steel exterior & interior
- Power supply: 13 amp plug
- Self-closing and stay open door
- **GN** Pans included
- Magnetic door gaskets

Model	Doors	GN Pans	Capacity	Temperature		nsions Depth /		Price
ICE3832	2	GN1/6 x 5	300L	-2°C to +8°C	900	700	1099	£1,206
ICE3853	3	GN1/6 x 7	380L	-2°C to +8°C	1365	700	1099	£1,736
ICE3869	3	GN1/3 x 7	380L	-2°C to +8°C	1365	700	1099	£1,840

Ice-A-cool Ares

ICE-A-COOL SLIDING LID SALADETTE **COUNTERS**



- Refrigerant: R600a
- Energy rating: A
- Power supply: 13 amp plug

4

- Embraco compressor
- Pans incl: 7x1/3 GN (ICE3800)
- Pans incl: 12x1/3 GN (ICE3850)

Model	Doors	Gross Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
ICE3800	2	300L	-2°C to +8°C	904	700	947	£1,260
ICE3850	3	380L	-2°C to +8°C	1369	700	947	£1,654

ICE-A-COOL MARBLE TOP SALADETTE **COUNTER**



- Refrigerant: R600a
- Power supply: 13 amp plug
- Pans included: 7x1/3 GN
- Embraco compressor
- Marble counter
- Stainless Steel exterior
- Stainless Steel sneeze-guard
- Self-closing and stay open door

1

Year Parts & Labour

3-5 Working Days Delivery

Model	Doors	Gross Capacity	Temperature	Dimensions (m Width / Depth / He			Price
ICE3858	3	380L	-2°C to +8°C	1365	700	1155	£1,760





- **ATOSA HINGED LID TOPPING WELLS**
 - Refrigerant: R600a - Power supply: 13 amp plug
 - Stainless Steel lid
 - 304 Stainless Steel exterior and interior
 - Gastronorm pans included
 - Automatic defrost
 - Static cooling type
 - Max ambient of +30°C - Electronic Dixell controller
 - Temperature display

Model	Capacity	Temperature		nsions Depth /		Price
VRX1200/330S	5x1/4 GN	+2°C to +8°C	1205	335	460	£984
VRX1200/380S	6x1/3 GN	+2°C to +8°C	1205	395	460	£1,034
VRX1400/330S	6x1/4 GN	+2°C to +8°C	1415	335	460	£1,092
VRX1400/380S	6x1/3 GN	+2°C to +8°C	1425	395	460	£1.142

Model	Capacity	Temperature		nsions / Depth /		Price
VRX1500/330S	7x1/4 GN	+2°C to +8°C	1505	335	460	£1,142
VRX1600/330S	7x1/4 GN	+2°C to +8°C	1605	335	460	£1,192
VRX1800/330S	8x1/4 GN	+2°C to +8°C	1805	335	460	£1,286
VRX2000/330S	10x1/4 GN	+2°C to +8°C	2005	335	460	£1,400

1

STERLING PRO COBUS TOPPING WELLS

WITH STAINLESS STEEL LID

- Refrigerant: R600
- Power supply: 13 amp plug
- SS201 Stainless Steel exterior & interior

Lids GN Pans

- Hinged Stainless Steel lids
- 50mm thick insulation
- Static cooling system
- Digital temperature display
- Max ambient of 32°C

Model







				widtii/	Deptii /	rieigiit	
SPT1200-330-SS	1	5 x GN1/4	+2°C to +8°C	1200	335	435	£846
SPT1400-330-SS	1	6 x GN1/4	+2°C to +8°C	1400	335	435	£880
SPT1600-330-SS	1	7 x GN1/4	+2°C to +8°C	1600	335	435	£912
SPT1800-330-SS	2	8 x GN1/4	+2°C to +8°C	1800	335	435	£1,018
SPT2000-330-SS	2	10 x GN1/4	+2°C to +8°C	2000	335	435	£1,092
1							
				-	-		_

Temperature

STERLING PRO COBUS BLAST CHILLERS Year Parts & Labour - Refrigerant: R290 - Power supply: 13 amp plug - AISI304 Stainless Steel exterior & interior 2-3 Working - Capable of chilling/freezing food from 100°C Days Delivery - 65mm thick insulation - Ventilated cooling system £4,698 - Automatic defrost £4,198 - Max ambient of 32°C - Digital temperature display - Fits GN1/1 or 600 x 400mm shelves Chill Capacity Dimensions (mm) Model Grids Price Capacity Width / Depth / Hei SP20BC 20kg 15kg 800 800 £2,798 SP40BC 10 28kg 800 800 £4,198 £2,798 40kg

STERLING PRO GREEN BLAST CHILLERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- 60mm thick (CFC-free) polyurethane insulation
- Interior with curved joints
- Ventilated grills on front panels
- Stainless Steel exterior and interior finish
- Height adjustable Stainless Steel legs
- Sealed condenser unit with ventilated condenser
- Hinged door with automatic return
- Fits GN1/1 & 600 x 400mm shelves (excl SP0315BC)

Model	Grids	Chill Capacity	Freeze Capacity	Chilling Cycle 90°C to 3°C	Freezing Cycle 90°C to -18°C		ensions / Depth /		Price
SP0315BC	3	15kg	6kg	90 minutes	240 minutes	570	700	514	£2,528
SP0523BC	5	23kg	13kg	90 minutes	240 minutes	790	700	850	£3,188
SP0840BC	8	40kg	24kg	90 minutes	240 minutes	790	800	1290	£4,398
SP1050BC	10	50kg	30kg	90 minutes	240 minutes	790	800	1420	£4,838



SP60BC

60kg

38kg

800

£4,698

2





DIAMOND BLAST CHILLERS/FREEZERS



- Refrigerant: R404a
- Stainless Steel exterior
- Power supply: 13 amp plug Chill capacity: kg in 90 mins**
- Temperature sensor
- Freeze capacity: kg in 240 mins*

Model	Shelf Capacity	Chill Capacity	Freeze Capacity		ensions / Depth /	Price	
GTP-3/LD	3x1/1 GN	**8kg	*5kg	560	700	514	£3,608
GTP-5/LD	5x1/1 GN	**12kg	*8kg	790	700	880	£4,632

DIAMOND BLAST CHILLERS/FREEZERS



- Refrigerant: R404a

- Temperature sensor

CBT101/NT 10x1/1 GN

- Stainless Steel exterior

790

1430 £7,818

- Power supply: 13 amp plug Chill capacity: kg in 90 mins**
 - Freeze capacity: kg in 240 mins*

Model	Shelf Capacity	Chill Capacity	Freeze Capacity		nsions / Depth /		Price
CBT31/NT	3x1/1 GN	**12kg	*8kg	620	650	670	£4,166
CBT51/NT	5x1/1 GN	**18kg	*12kg	790	830	880	£4,486

*25kg

ATOSA COUNTERTOP BLAST CHILLERS/FREEZERS







- Refrigerant: R290a
- Self-closing door
- Power supply: 13 amp plug Easy to clean
- Stainless Steel exterior Soft and hard chill options

Model	Shelf Capacity	Chill Capacity	Freeze Capacity		nsions Depth /		Price
EBF03	3x1/1 GN	10kg	5kg	755	832	581	£4,234
EBF05	5x1/1 GN	25kg	15kg	750	815	870	£5,146

FOSTER BLAST CHILLER/FREEZER

**36kg



- Refrigerant: R452a
- Hold facility
- Power supply: 13 amp plug
- Temperature probe
- Intuitive touch control panel Stainless Steel exterior

Model	Shelf Capacity	Chill Capacity	Freeze Capacity		nsions Depth /		Price
BCT52-26	14x1/1 GN	52kg	26kg	755	690	1790	£16,250

OPTIMA COLDROOMS

The Optima coldrooms are designed to provide low cost, high quality solutions for small restaurants, fast food establishments, supermarkets and even private individuals. The use of high quality materials and modern manufacturing techniques enables you to offer your customer maximum flexibility with minimum running costs.

Quality

- Roof and wall panels are made from galvanised steel panels
- Floor panels are reinforced and are made of synthetic resin
- All rooms are manufactured with modern techniques
- All panels have high-density 85mm foam insulation
- CFC and HCFC free panels
- Heavy-duty handles and locks

Assembly

- Provided with everything you need
- Quick and easy assembly
- Panels join using simple cam-lock system
- Joined and sealed with silicon (provided)

Flexibility

- 92 different sizes available
- Coving and skirting available
- Two different heights
- With or without floor panels
- Left or right-hand hinged door
- Monoblock or remote motor options


Equipped

- Provided with everything you need
- Preassure balance valve with freezer models
- Door heaters with freezer models
- Tools, sealant, instructions and fittings provided



COLDROOM **1770** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1616W/FTM006G001	£7,668
Chiller Room Only	KQEB1616W	£4,602
Freezer Room & Motor	KQEB1616W/FTL009G001	£8,621
Freezer Room Only	KOFB1616W/OS119601	£4.673




COLDROOM **1770** x **2170mm**

Product	Code	Price
Chiller Room & Motor	KQEB2016W/FTM006G001	£8,206
Chiller Room Only	KQEB2016W	£4,909
Freezer Room & Motor	KQEB2018W/FTL012G001	£9,249
Freezer Room Only	KQEB2016W/QS119601	£4,982




COLDROOM 1970 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1618W/FTM006G001	£7,810
Chiller Room Only	KQEB1618W	£4,742
Freezer Room & Motor	KQEB118W/FTL009G001	£8,761
Freezer Room Only	KQEB1618W/QS119601	£4,815



COLDROOM 1970 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2018W/FTM007G001	£8,339
Chiller Room Only	KQEB2018W	£5,042
Freezer Room & Motor	KQEB2020W/FTL012G001	£9,381
Freezer Room Only	KQEB2018W/QS119601	£5,114



COLDROOM **2170** x **1770**mm

Product	Code	Price
Chiller Room & Motor	KQEB1620W/FTM007G001	£8,198
Chiller Room Only	KQEB1620W	£4,901
Freezer Room & Motor	KQEB1620W/FTL012G001	£9,239
Freezer Room Only	KQEB1620W/QS119601	£4,972




COLDROOM **2170** x **2170mm**

Product	Code	Price
Chiller Room & Motor	KQEB2020W/FTM012G001	£8,856
Chiller Room Only	KQEB2020W	£5,253
Freezer Room & Motor	KQEB2022W/FTL012G001	£9,592
Freezer Room Only	KQEB2020W/QS119601	£5,326



COLDROOM 2370 x 1770mm

Product	Code	Price
Chiller Room & Motor	KQEB1622W/FTM007G001	£8,053
Chiller Room Only	KQEB1622W	£5,033
Freezer Room & Motor	KQEB1622W/FTL012G001	£9,372
Freezer Room Only	KQEB1622W/QS119601	£5,105




COLDROOM 2370 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2022W/FTM012G001	£8,987
Chiller Room Only	KQEB2022W	£5,386
Freezer Room & Motor	KQEB2024W/FTL012G001	£9,724
Freezer Room Only	KQEB2022W/QS119601	£5,457



COLDROOM **2570** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1624W/FTM007G001	£8,463
Chiller Room Only	KQEB1624W	£5,166
Freezer Room & Motor	KQEB1624W/FTL012G001	£9,504
Freezer Room Only	KQEB1624W/QS119601	£5,237



COLDROOM **2570** x **2170mm**

Product	Code	Price
Chiller Room & Motor	KQEB2024W/FTM012G001	£8,146
Chiller Room Only	KQEB2024W	£5,543
Freezer Room & Motor	KQEB2026W/FTL012G001	£9,883
Freezer Room Only	KQEB2024W/QS119601	£5,616




COLDROOM **2770** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1626W/FTM012G001	£9,418
Chiller Room Only	KQEB1626W	£5,961
Freezer Room & Motor	KQEB1626W/FTL012G001	£10,156
Freezer Room Only	KQEB1626W/QS119601	£5,889




COLDROOM 2770 x 2170mm

Product	Code	Price
Chiller Room & Motor	KQEB2026W/FTM012G001	£9,815
Chiller Room Only	KQEB2026W	£6,213
Freezer Room & Motor	KQEB2028W/FTL016G001	£10,552
Freezer Room Only	KQEB2026W/QS119601	£6,285



COLDROOM **2970** x **1770mm**

Product	Code	Price
Chiller Room & Motor	KQEB1628W/FTM012G001	£9,551
Chiller Room Only	KQEB1628W	£5,949
Freezer Room & Motor	KQEB1628W/FTL012G001	£10,288
Freezer Room Only	KQEB1628W/QS119601	£6,021



COLDROOM 2970 x 2170mm


Product	Code	Price
Chiller Room & Motor	KQEB2028W/FTM016G001	£10,584
Chiller Room Only	KQEB2028W	£6,362
Freezer Room & Motor	KQEB2030W/FTL016G001	£11,790
Freezer Room Only	KQEB2028W/QS119601	£6,435






COLDROOM 1770 x 2570mm

Product	Code	Price
Chiller Room & Motor	KQEB2416W/FTM006G001	£8,498
Chiller Room Only	KQEB2416W	£5,201
Freezer Room & Motor	KQEB2418W/FTL012G001	£9,539
Freezer Room Only	KOEB2416W/OS119601	£5.272




COLDROOM 1770 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2816W/FTM006G001	£8,969
Chiller Room Only	KQEB2816W	£5,949
Freezer Room & Motor	KQEB2818W/FTL012G001	£10,542
Freezer Room Only	KQEB2816W/QS119601	£6,021




COLDROOM **1970** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2418W/FTM012G001	£8,961
Chiller Room Only	KQEB2418W	£5,359
Freezer Room & Motor	KQEB2420W/FTL012G001	£9,698
Freezer Room Only	KQEB2418W/QS119601	£5,431




COLDROOM 1970 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2818W/FTM012G001	£9,772
Chiller Room Only	KQEB2818W	£6,169
Freezer Room & Motor	KQEB2820W/FTL016G001	£10,147
Freezer Room Only	KQEB2818W/QS119601	£6,242




COLDROOM **2170** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2420W/FTM012G001	£9,173
Chiller Room Only	KQEB2420W	£5,570
Freezer Room & Motor	KQEB2422W/FTL012G001	£9,909
Freezer Room Only	KQEB2420W/QS119601	£5,643




COLDROOM **2170** x **2970mm**

Product	Code	Price
Chiller Room & Motor	KQEB2820W/FTM012G001	£9,982
Chiller Room Only	KQEB2820W	£6,380
Freezer Room & Motor	KQEB2822W/FTL016G001	£11,805
Freezer Room Only	KQEB2820W/QS119601	£6,453



COLDROOM **2370** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2422W/FTM012G001	£9,331
Chiller Room Only	KQEB2422W	£5,728
Freezer Room & Motor	KQEB2424W/FTL016G001	£10,068
Freezer Room Only	KQEB2422W/QS119601	£5,801



COLDROOM 2370 x 2970mm

Product	Code	Price
Chiller Room & Motor	KQEB2822W/FTM012G001	£10,159
Chiller Room Only	KQEB2822W	£6,557
Freezer Room & Motor	KQEB2824W/FTL016G001	£11,982
Freezer Room Only	KQEB2822W/QS119601	£6,629



COLDROOM **2570** x **2570mm**

Product	Code	Price
Chiller Room & Motor	KQEB2424W/FTM016G001	£10,117
Chiller Room Only	KQEB2424W	£5,896
Freezer Room & Motor	KQEB2426W/FTL016G001	£11,323
Freezer Room Only	KQEB2424W/QS119601	£5,968



COLDROOM **2570** x **2970mm**

Product	Code	Price	
Chiller Room & Motor	KQEB2824W/FTM016G001	£10,954	
Chiller Room Only	KQEB2824W	£6,733	
Freezer Room & Motor	KQEB2826W/FTL016G001	£12,157	
Freezer Room Only	KQEB2824W/QS119601	£6,805	



COLDROOM 2770 x 2570mm

Product	Code	Price	
Chiller Room & Motor	KQEB2426W/FTM016G001	£10,813	
Chiller Room Only	KQEB2426W	£6,592	
Freezer Room & Motor	KQEB2428W/FTL016G001	£12,019	
Freezer Room Only	KQEB2426W/QS119601	£6,664	



COLDROOM **2770** x **2970mm**

Product	Code	Price	
Chiller Room & Motor	KQEB2826W/FTM016G001	£11,755	
Chiller Room Only	KQEB2826W	£7,535	
Freezer Room & Motor	KQEB2828W/FTL016G001	£12,959	
Freezer Room Only	KQEB2826W/QS119601	£7,606	



COLDROOM 2970 x 2570mm

Product	Code	Price	
Chiller Room & Motor	KQEB2428W/FTM016G001	£10,980	
Chiller Room Only	KQEB2428W	£6,759	
Freezer Room & Motor	KQEB2430W/FTL016G001	£12,187	
Freezer Room Only	KQEB2428W/QS119601	£6,832	



COLDROOM 2970 x 2970mm


Product	Code	Price	
Chiller Room & Motor	KQEB2828W/FTM016G001	£11,930	2002
Chiller Room Only	KQEB2828W	£7,710	
Freezer Room & Motor	KQEB2830W/FTL020G001	£13,136	
Freezer Room Only	KQEB2828W/QS119601	£7,783	



STERLING PRO GREEN STAINLESS STEEL BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug
- Aluminium interior
- 50mm thick insulation
- Adjustable shelves
- Max ambient of 32°C
- Internal LED lighting
- Static cooling system with fan
- Automatic defrost
- Bottom-mounted compressor
- Lockable doors







STERLING PRO PREMIUM BLACK DOUBLE DOOR BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Embossed aluminium interior
- Black aluminium doors
- Lockable doors
- x2 adjustable shelves
- Horizontal internal LED lighting
- Fan assisted cooling system
- Timed defrost
- Bottom-mounted compressor
- Bulk deals available

- Manufactured in Europe								
Model	Туре	Capa Gross	acity / Nett	Temperature		ensions (/ Depth /		Price
BBS220HINGED	Hinged	223L	184L	+3°C to +10°C	885	515	889	£938
BBS220SLIDING	Sliding	223L	184L	+3°C to +10°C	885	515	889	£938



STERLING PRO GREEN UPRIGHT

BOTTLE COOLERS



- Power supply: 13 amp plug

- Stainless Steel interior finish
- 50mm thick insulation
- Adjustable shelves
- Max ambient of 32°C
- Internal LED lighting
- Static cooling system with fan
- Automatic defrost
- Lockable doors
- Digital temperature display
- Self-closing doors















Model	Colour	Doors	Gross Capacity	Temperature	Dime Width /	nsions Depth	(mm) / Height	Price
SP110-BK	Black	Single	293L	+2°C to +10°C	600	515	1820	£1,428
SP110-STS	S/Steel	Single	293L	+2°C to +10°C	600	515	1820	£1,538

Model	Colour	Doors	Gross Capacity	Temperature	Dime Width /	nsions Depth	(mm) / Height	Price
SP220-BK	Black	Double	458L	+2°C to +10°C	900	515	1820	£1,978
SP220-STS	S/Steel	Double	458L	+2°C to +10°C	900	515	1820	£2,132









	DOOR E
150RGCS 1993	- E
1771 414 14414 (7314)	1) The Her Markett with
VALUE AND	£1,830
	- E>

GAMKO

MAXIGLASS	SINGLE GL	ASS
DOOR BOT	TTLF COOL	FRS

- Refrigerant: R600a - Power supply: 13 amp plug

Bottle capacity: 144 x 330ml

- Internal volume: 150 litres Temperature: +2°C to +18°C

- Power rating: 135W

- 2 adjustable shelves

- Internal LED lighting

- Lockable doors

- Automatic defrost xchangable magnetic gaskets

Digital temperature display

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
MG3/150RG	Right hinged	Glass / Anthracite	602	536	900	£1,830
MG3/150LG	Left hinged	Glass / Anthracite	602	536	900	£1,830

Model	Door Type	Door Finish		Dimensions (mm) Width / Depth / Height		Price
MG3/150RGCS	Right hinged	Glass / S/Steel	602	536	900	£1,993
MG3/150LGCS	Left hinged	Glass / S/Steel	602	536	900	£1,993

GAMKO MAXIGLASS SINGLE SOLID DOOR BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug

Power rating: 135W

MG3/150LDD



536

900

£1,838

Internal LLockable cAutomaticExchangabDigital te	doors c defrost ole magnet	ic gaskets		udr [©] Jüjüll		Tulunikki IIIIII
Model	Door Type	Door Finish		nsions (Depth /		Price
MG3/150RDD	Right hinged	Solid / Anthracite	602	536	900	£1,838

Left hinged Solid / Anthracite





Model	Door Type	Door Finish		Dimensions (mm) Width / Depth / Height		Price
MG3/150RDDCS	Right hinged	Solid / S/Steel	602	536	900	£2,038
MG3/150LDDCS	Left hinged	Solid / S/Steel	602	536	900	£2,038



GAMKO MAXIGLASS DOUBLE GLASS DOOR BOTTLE COOLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 215 x 330ml
- Temp: +2°C to +18°C
- Power rating: 140W
- 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (I Width / Depth / H			Price
MG3/250G	Hinged	Glass / Anthracite	900	536	900	£2,334
MG3/250GCS	Hinged	Glass / S/Steel	900	536	900	£2,593
MG3/250SD	Sliding	Glass / Anthracite	900	556	900	£2,400

GAMKO MAXIGLASS DOUBLE SOLID DOOR BOTTLE COOLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 215 x 330ml
- Temp: $+2^{\circ}C$ to $+18^{\circ}C$
- Power rating: 140W
- 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
MG3/250DD	Hinged	Solid / Anthracite	900	536	900	£2,506
MG3/250DDCS	Hinged	Solid / S/Steel	900	536	900	£2,846

GAMKO MAXIGLASS DOUBLE GLASS DOOR BOTTLE COOLERS



2 Years Parts & Labour



- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 295 x 330ml
- Temp: +2°C to +18°C
- Power rating: 235W
- 2 adjustable shelves

Model	Door Type	Door Finish	Dimensions (I Width / Depth / H			Price	
MG3/275G	Hinged	Glass / Anthracite	1200	536	900	£3,138	
MG3/275GCS	Hinged	Glass / S/Steel	1200	536	900	£3,408	
MG3/275SD	Sliding	Glass / Anthracite	1200	536	900	£3,330	

GAMKO MAXIGLASS TRIPLE GLASS DOOR BOTTLE COOLERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 333 x 330ml
- Temp: +2°C to +18°C
- Power rating: 240W
- 6 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
MG3/315G	Hinged	Glass / Anthracite	1350	536	900	£3,168
MG3/315GCS	Hinged	Glass / S/Steel	1350	536	900	£3,683
MG3/315SD	Sliding	Glass / Anthracite	1350	536	900	£3,431

GAMKO MAXIGLASS TRIPLE SOLID DOOR BOTTLE COOLERS



- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 333 x 330ml
- Temp: +2°C to +18°C
- Power rating: 240W
- 6 adjustable shelves

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height		Price	
MG3/315DD	Hinged	Solid / Anthracite	1350	556	900	£3,486
MG3/315DDCS	Hinged	Solid / S/Stool	1350	556	900	£4 054

GAMKO MAXIGLASS UPRIGHT DOUBLE GLASS DOOR BOTTLE COOLERS









Days Deliver

- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 490 x 330ml
- Temp: +2°C to +18°C
- Power rating: 245W
- 5 adjustable shelves

Model	Door Type	Door Finish		nsions / Depth /		Price
MG3/500G	Hinged	Glass / Anthracite	900	530	1825	£3,756
MG3/500GCS	Hinged	Glass / S/Steel	900	530	1825	£4,143
MG3/500SD	Sliding	Glass / Anthracite	900	530	1825	£4,354



GAMKO MAXIGLASS UPRIGHT SINGLE GLASS DOOR BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug - Bottle capacity: 310 x 330ml

- Internal volume: 300 litres

Temperature: +2°C to +18°C

- Power rating: 245W
- 5 adjustable shelves - Internal LED lighting
- Lockable doors
- Automatic defrost
- Exchangable magnetic gaskets
- Digital temperature display











Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/300RG	Right hinged	Glass / Anthracite	602	530	1825	£2,950
MG3/300LG	Left hinged	Glass / Anthracite	602	530	1825	£2,950

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
MG3/300RGCS	Right hinged	Glass / S/Steel	602	530	1825	£3,149
MG3/300LGCS	Left hinged	Glass / S/Steel	602	530	1825	£3,152

2 Years Parts & Labour 3-5 Working Days Delivery £1,993

				_		
Model	Door Type	Door Finish		nsions Depth /		Price
LG3/150RG84	Right hinged	Glass / Anthracite	602	536	840	£1,830
LG3/150LG84	Left hinged	Glass / Anthracite	602	536	840	£1,830

GAMKO MAXIGLASS SINGLE GLASS DOOR BOTTLE COOLERS (LH)

£1,993

- (LH) Low height - Refrigerant: R600a - Power supply: 13 amp plug

- Bottle capacity: 144 x 330ml

- Internal volume: 150 litres - Temperature: +2°C to +18°C

- Power rating: 135W

- 2 adjustable shelves

- Internal LED lighting - Lockable doors

- Automatic defrost

2

- Digital temperature display

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/150RGCS84	Right hinged	Glass / S/Steel	602	536	840	£1,993
LG3/150LGCS84	Left hinged	Glass / S/Steel	602	536	840	£1,993

GAMKO MAXIGLASS SINGLE SOLID DOOR BOTTLE COOLERS (LH)

- (LH) Low height

- Refrigerant: R600a

- Power supply: 13 amp plug - Bottle capacity: 144 x 330ml

Internal volume: 150 litres Temperature: +2°C to +18°C

Power rating: 135W

2 adjustable shelves

Internal LED lighting

- Lockable doors

- Automatic defrost



- Digital temperature display			jii	di ^{se} dijijiddd		ijudijan min
Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/150RDD84	Right hinged	Glass / Anthracite	602	536	840	£1,874
LG3/150LDD84	Left hinged	Glass / Anthracite	602	536	840	£1,874





Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/150RDDCS84	Right hinged	Glass / S/Steel	602	536	840	£2,038
LG3/150LDDCS84	Left hinged	Glass / S/Steel	602	536	840	£2,038

GAMKO MAXIGLASS DOUBLE GLASS DOOR BOTTLE COOLERS (LH)

- (LH) Low height
- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 215 x 330ml
- Internal volume: 250 litres
- Temperature: +2°C to +18°C
- Power rating: 140W
- 2 adjustable shelves
- Internal LED lighting
- Lockable doors
- Automatic defrost
- Digital temperature display







Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/250G84	Hinged	Glass / Anthracite	900	536	840	£2,334
LG3/250GCS84	Hinged	Glass / S/Steel	900	536	840	£2,593

Model	Door Type	Door Finish	Dimensions (mm) Width / Depth / Height			Price
LG3/250SD84	Sliding	Glass / Anthracite	900	536	840	£2,400

GAMKO MAXIGLASS DOUBLE SOLID DOOR BOTTLE COOLERS (LH)









- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 215 x 330ml
- Temp: +2°C to +18°C
- Power rating: 140W
- (LH) Low height

Model	Door Type	Door Finish		nsions / Depth /	Price	
LG3/250DD84	Hinged	Solid / Anthracite	900	536	840	£2,570
LG3/250DDCS84	Hinged	Solid / S/Steel	900	536	840	£2,848

GAMKO MAXIGLASS TRIPLE GLASS DOOR BOTTLE COOLERS (LH)







2

- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 333 x 330ml
- Temp: +2°C to +18°C
- Power rating: 235W
- (LH) Low height

Model	Door Type	Door Finish	Dime Width /	Price		
LG3/315G84	Hinged	Glass / Anthracite	1350	536	840	£3,168
LG3/315GCS84	Hinged	Glass / S/Steel	1350	536	840	£3,683
LG3/315SD84	Sliding	Glass / Anthracite	1350	536	840	£3,431

AUTONUMIS POPULAR SINGLE DOOR BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Bottle capacity: 87 x 330ml
- Temperature: +3°C to +11°C
- Power rating: 250W









Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RFC00012	Yes	No	Solid / Hinged	525	500	900	£774
RNC00008	Yes	Yes	Glass / Hinged	525	500	900	£1,014

AUTONUMIS POPULAR DOUBLE DOOR 3 FOOT BOTTLE COOLERS

- Refrigerant: R600a

Power supply: 13 amp plug
Bottle capacity: 174 x 330ml

- Temperature: +3°C to +11°C

- Power rating: 265W

- Big capacity compressor
- Built-in evaporator fan
- Adjustable thermostat
- Automatic defrost
- *S/Steel models: 7-10 days
- Made in Britain







Model	S/Steel Surround	S/Steel Cabinet	Door Type		nsions Depth /		Price
RPC00001	No	No	Glass / Hinged	910	500	900	£1,032
RPC10001	No	No	Glass / Sliding	910	500	900	£1,032
RPC00003	Yes	No	Glass / Hinged	910	500	900	£1,180

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RGC00010	Yes	No	Solid / Hinged	910	500	900	£1,060
RPC00005	Yes	Yes	Glass / Hinged	910	500	900	£1,342
RGC00012	Yes	Yes	Solid / Hinged	910	500	900	£1,206







AUTONUMIS POPULAR DOUBLE DOOR

MAXI BOTTLE COOLERS

- Refrigerant: R600a
- Power supply: 13 amp plugBottle capacity: 240 x 330ml
- Temperature: +3°C to +11°C
 - Power rating: 280W
 - Big capacity compressor
 - Built-in evaporator fan
 - Adjustable thermostat
 - Automatic defrost
 - *S/Steel models: 7-10 days
 - Made in Britain

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RQC00001	No	No	Glass / Hinged	1055	500	900	£1,314
RQC10001	No	No	Glass / Sliding	1055	500	900	£1,314
RQC00002	Yes	No	Glass / Hinged	1055	500	900	£1,462

Model	S/Steel Surround		Door Type		nsions Depth/		Price
RHC00005	Yes	No	Solid / Hinged	1055	500	900	£1,314
RQC00008	Yes	Yes	Glass / Hinged	1055	500	900	£1,626

AUTONUMIS ECOCHILL SINGLE DOOR BOTTLE COOLERS

- Refrigerant: R600a

- Power supply: 13 amp plug

- Bottle capacity: 87 x 330ml

- Temperature: +3°C to +11°C

- Power rating: 190W

- High efficiency compressor

- Low energy 12V evaporator fan

- Low energy 12V condenser fan

- CFS-free and ozone friendly

- Automatic defrost

- *S/Steel models: 7-10 days

- Made in Britain









Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RUC00001	No	No	Glass / Hinged	525	500	900	£962
RUC00005	Yes	No	Glass / Hinged	525	500	900	£1,038

Model	S/Steel Surround	S/Steel Cabinet	Door Type	Dimensions (mn Width / Depth / Hei			Price
RIC00007	Yes	No	Solid / Hinged	525	500	900	£934
RUC00012	Yes	Yes	Glass / Hinged	525	500	900	£1,190

EcoChill

AUTONUMIS ECOCHILL DOUBLE DOOR **3 FOOT BOTTLE COOLERS**

- Refrigerant: R600a

- Power supply: 13 amp plug Bottle capacity: 174 x 330ml

Temperature: +3°C to +11°C

Power rating: 190W

- High efficiency compressor

- Low energy 12V evaporator fan
- Low energy 12V condenser fan
- CFS-free and ozone friendly
- *S/Steel models: 7-10 days
- Made in Britain







Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RVC00001	No	No	Glass / Hinged	910	500	900	£1,232
RVC10001	No	No	Glass / Sliding	910	500	900	£1,232
RVC00003	Yes	No	Glass / Hinged	910	500	900	£1,384

EcoChill

Model	S/Steel Surround	S/Steel Cabinet	Door Type		nsions Depth/		Price
RJC00004	Yes	No	Solid / Hinged	910	500	900	£1,240
RVC00007	Yes	Yes	Glass / Hinged	910	500	900	£1,542
RJC00009	Yes	Yes	Solid / Hinged	910	500	900	£1,386







£1,512

AUTONUMIS ECOCHILL DOUBLE DOOR MAXI BOTTLE COOLERS

- Refrigerant: R600a - Power supply: 13 amp plug
- Bottle capacity: 240 x 330ml
- Temperature: +3°C to +11°C
 - Power rating: 220W - High efficiency compressor
- Low energy 12V evaporator fan
- Low energy 12V condenser fan
 - CFS-free and ozone friendly
 - Automatic defrost
 - *S/Steel models: 7-10 days
 - Made in Britain

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RWC0000	No	No	Glass / Hinged	1055	500	900	£1,512
RWC10001	No	No	Glass / Sliding	1055	500	900	£1,512

Model	S/Steel Surround	S/Steel Cabinet	Door Type		Dimensions (mm) Width / Depth / Height		Price
RWC00003	Yes	No	Glass / Hinged	1055	500	900	£1,660
RWC00006	Yes	Yes	Glass / Hinged	1055	500	900	£1,972

AUTONUMIS UPRIGHT BACK BAR







- Refrigerant: R600a
- Power supply: 13 amp plug
- x6 adjustable shelves

- Internal lighting with switch

- Black cabinet & door frame
- Automatic defrost
- Temperature Dimensions (mm)
 Width / Depth / Height Gross Model Price Capacity Capacity **RZC00001** 242 x 330ml 381L +2°C to +10°C 595

PRODIS STAINLESS STEEL HINGED DOOR BOTTLE COOLERS







- Refrigerant: R600a
- Power supply: 13 amp plug
- S/Steel exterior & interior
- LED lighting with switch - Self-closing hinged doors
- Adjustable chrome shelves

Model	Doors	Gross Capacity	Temperature		nsions / Depth /		Price
NT1ST-HC	Single	126L	+2°C to +8°C	600	510	900	£936
NT2ST-HC	Double	220L	+2°C to +8°C	900	510	900	£1,178
NT3ST-HC	Triple	300L	+2°C to +8°C	1350	510	900	£1,530

Display Refrigeration

PRODIS UPRIGHT DISPLAY CHILLERS









- Refrigerant: R600a
- Adjustable shelves
- Power supply: 13 amp plug
- Fan assisted cooling
- Digital temperature display
- LED lighting with switch

Model	Doors	Gross Capacity	Temperature	Dime Width /	Price		
NT10-HC	Single	340L	+2°C to +10°C	600	515	1800	£1,574
NT20-HC	Double	560L	+2°C to +10°C	900	515	1800	£2,124

LIEBHERR LOW-HEIGHT DISPLAY **CHILLER**







- Refrigerant: R134a
- Glass door with white surround
- Power supply: 13 amp plug
- Moulded polystyrol interior
- Automatic defrost
- Manufactured in Austria

Model	Capacity Gross / Nett	Temperature		nsions Depth /		Price
FKV2612	236L 230L	+1°C to +15°C	600	610	1250	£650

VESTFROST UNDERCOUNTER DISPLAY CHILLERS









- Refrigerant: R600a
- Power supply: 13 amp plug
- Fan assited cooling
- LED lighting
- Digital temperature control
- Aluminium trim

Model	Capacity Gross / Nett		Temperature		nsions Depth	Price	
M85	125L	106L	+2°C to +10°C	493	587	830	£686
M95	155L	137L	+3°C to +18°C	595	572	820	£962

LIEBHERR UNDERCOUNTER DISPLAY

CHILLER







- Refrigerant: R600a
- Toughened glass door
- Power supply: 13 amp plug
- Moulded polystyrol interior
- Automatic defrost
- Manufactured in Austria

Model	Capa Gross		Temperature		nsions (Depth /		Price	
FKVESF1803	180L	157L	+1°C to +15°C	600	600	850	£1,300	

LIEBHERR COUNTER-TOP DISPLAY FRIDGE & FREEZER

- BCV 1103 refrigerant: R600a
- FV 913 refrigerant: R290a
- Power supply: 13 amp plug
- Steel exterior & interior finish
- Digital temperature display
- Lockable door
- Forced air cooling: BCV 1103
- Dynamic cooling: FV 913
- Automatic defrost
- Max ambient of 30°C





STERLING PRO COBUS WHITE DISPLAY CHILLER & FREEZER

- Refrigerant: R290a
- Power supply: 13 amp plug
- White exterior finish
- White ABS interior finish
- 50mm thick insulation
- Automatic defrost: SPR400G
- Manual defrost: SPF400G
- Static cooling system with fan
- Max ambient of 32°C
- Digital temperature display
- Shelving: x4 SPR400G / x6 SPF400G
- Lockable doors

Model	Туре	Gross Capacity	Temperature	Dime Width /	mensions (mm) th / Depth / Height		Energy Rating	Price
SPR400G	Fridge	360L	0°C to +10°C	600	610	1850	С	£1,358
SPF400G	Freezer	360L	-10°C to -22°C	600	610	1850	С	£1,538







STERLING PRO GREEN SLIMLINE DISPLAY CHILLER & FREEZER

- BBS225WOC refrigerant: R600a

- BBVF225 refrigerant: R290a

- Power supply: 13 amp plug

- White exterior finish

- White metallic interior finish

- Mechanical thermostat: BBS225WOC

- Electronic thermostat: BBVF225

- Internal vertical LED lighting

- Light switch: BBS225WOC only

- x6 fixed shelves

- Self-closing door with built-in handle

- Manufactured in Europe

Model	Туре	Capa Gross	Acity / Nett	Temperature	Dimensions (mm) Width / Depth / Height			Energy Rating	Price	
BBS225WOC	Chiller	225L	220L	0°C to +10°C	450	497	1881	E	£944	
BBVF225	Freezer	221L	221L	-18°C to -24°C	494	521	1915	Α	£1,318	

STERLING PRO GREEN UPRIGHT DISPLAY FREEZERS

- Refrigerant: R290a

- Power supply: 13 amp plug

- White exterior finish

- White metallic interior finish

- Aluminium door profile

- Internal horizontal LED lighting with switch

- Illuminated canopy with switch

- Adjustable electrical thermostat

- x5 fixed shelves: BBVF372-HC

- x5 adjustable shelves: BBVF500

- Self-closing door with built-in handle

- Manufactured in Europe

Model	Capacity Gross / Nett		Temperature	Dimensions (mm) Width / Depth / Height			Energy Rating	Price
BBVF372-HC	382L	334L	-18°C to -24°C	640	674	2056	С	£1,538
BBVF500	496L	450L	-18°C to -24°C	670	718	2026	С	£1,978



STERLING PRO GREEN UPRIGHT DISPLAY CHILLERS

- SPG385 refrigerant: R600a - SPD20HG refrigerant: R290a Power supply: 13 amp plug

SPG385 can capacity: 406 x 330ml SPD20HG can capacity: 1001 x 330ml

White exterior & interior finish

Black door frame

Double-glazed tempered glass door

Internal LED lighting with switch

Canopy display: SPD20HG only

Max ambient of 30°C

Manufactured in Europe

Model	Doors		acity / Nett	Temperature		Dimensions (mm) idth / Depth / Height				
SPG385	Single	379L	368L	+1°C to +10°C	595	605	1832	£838		
SPD20HG	Double	8321	8051	+1°C to +10°C	980	740	2145	£1.798		



£1,124







- Ventilated cooling system - Automatic defrost

- Vertical internal LED lighting - x2 rear wheels & adjustable front feet

- Lockable doors

- Exchangeable gaskets

- Manufactured in Denmark

Model	Capacity Gross / Nett		Temperature		nsions Depth/		Energy Rating	Price
M 150	306L	281L	+3°C to +10°C	595	595	1550	С	£1,124
M 180	381L	351L	+3°C to +10°C	595	595	1850	С	£1,154
M 210	448L	379L	+1°C to +10°C	595	595	2000	E	£1,574

VESTFROST UPRIGHT DISPLAY CHILLERS & FREEZER

- Refrigerant: R600a

- Energy rating: E (excl NFG309)

Power supply: 13 amp plug

- Automatic defrost

Ventilated cooling

- Internal lighting

- Adjustable wire shelves

- Lockable door (excluding FKG370)

- Large branding surface: FKG410 only

- Illuminated canopy: FKG410 only

- FKG371 matching freezer: NFG309

Model		acity / Nett	Temperature		nsions Depth /		Price
FKG311	306L 281L		+3°C to +10°C	595	595	1550	£1,068
FKG370	377L	347L	+3°C to +10°C	595	595	1850	£1,218
FKG371	381L	351L	+3°C to +10°C	595	595	1850	£1,114



Model	Capa Gross	acity / Nett	Temperature		nsions Depth /		Price
FKG410	381L	351L	+3°C to +10°C	595	595	2000	£1,150
NFG309	310L	292L	-16°C to -25°C	595	595	1850	£2,352

LIEBHERR UPRIGHT DISPLAY FREEZER



- Refrigerant: R290a
- Power supply: 13 amp plug
- Reversible door
- Temperature alarm
- Lockable door
- Ergonomic slimline handle
- NoFrost technology
- Manufactured in Austria

Model	Capacity Gross / Nett	Temperature	Dimensions (mm) Width / Depth / Height			
FDV 4643	461L 307L	-10°C to -25°C	670	730	1957	£3,918

VESTFROST UNDERCOUNTER DUAL-ZONE WINE COOLER



- Refrigerant: R600a
- Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- Smoked glass door
- Black gloss surround

Model	Bottle Capacity	Dual-Zone T	emperatures	Dime: Width /	Price		
WFG 32	32 x 0.75L	+5°C to +10°C	+10°C to +18°C	493	577	830	£962
WFG 45	44 x 0.75L	+5°C to +10°C	+10°C to +18°C	595	573	820	£1,176

£1,068

VESTFROST UNDERCOUNTER **DUAL-ZONE WINE COOLERS**

- Refrigerant: R600a - Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- LED internal lighting
- Smoked glass door
- Aluminium trim
- Low vibration compressor
- Built-in heating element

Model Doors Bottle Dual-Zone Temperatures Dimensions (mm) Price
Capacity Width / Depth / Height
W32 Single 38 x 0.75L Top: +5°C to +10°C Bottom: +10°C to +18°C 493 587 830 £804
W38 Double 38 x 0.75L Left: +5°C to +10°C Right: +10°C to +18°C 595 573 820 £1,124
W45 Single 44 x 0.75L Top: +5°C to +10°C Bottom: +10°C to +18°C 595 573 820 £1,068

£804

VESTFROST DUAL-ZONE UPRIGHT WINE CABINETS









3

- Refrigerant: R600a
- Wooden-trimmed shelves
- Energy rating: G
- Smoked glass door with UV-filter
- Power supply: 13 amp plug Black gloss surround

Model	Bottle Capacity	Dual-Zone Temperatures		Dimensions (mn Width / Depth / Hei		Price
WFG 155	147 x 0.75L	+5°C to +22°C	595	610	1550	£1,882
WFG 185	197 x 0.75L	+5°C to +22°C	595	595	1850	£2,032

VESTFROST UPRIGHT WINE CABINET





Years Parts & Labour

2-3 Working Days Delivery

- Refrigerant: R600a
- Flat wooden shelves
- Energy rating: G
- Smoked glass door
- Power supply: 13 amp plug
- Low-vibration compressor

Model	Bottle Capacity	Temperature		nsions Depth/	Price	
VKG 571	116 x 0.75L	+6°C to +16°C	595	595	1850	£1,176

VESTFROST UPRIGHT DUAL-ZONE WINE CABINETS

- Refrigerant: R600a
- Energy rating: G
- Power supply: 13 amp plug
- Wooden-trimmed shelves
- LED internal lighting
- Smoked glass door
- Aluminium trim
- Low vibration compressor
- Built-in heating element
- Digital temperature control
- Exchangeable gasket

FZ295W-BLACK 147 x 0.75L

- Reversible door

Model

FZ295W-SILVER



1550

1550

£1,646

£1,646

595

595

595



Model	Bottle Capacity	Dual-Zone Temperatures	Dimensions (mm) Width / Depth / Height			Price
FZ365W-BLACK	197 x 0.75L	+5°C to +22°C	595	600	1850	£1,776
FZ365W-SILVER	197 x 0.75L	+5°C to +22°C	595	600	1850	£1,776

CORECO GLASS FROSTERS

Bottle Capacity

147 x 0.751



Dual-Zone

Temperatures

+5°C to +22°C

+5°C to +22°C

- Refrigerant: R290a
- Power supply: 13 amp plug
- Cold plate evaporator - Digital temperature control
- Fan assisted condenser unit Stainless Steel exterior

Model	Door Type	Glass Capacity	Temperature		ensions (mm) / Depth / Height		Price
EC-85	Solid	120	-5°C to -10°C	510	510	850	£1,512
EE-85	Glass	120	-5°C to -10°C	510	510	850	£1,680

FRUCOSOL GLASS FROSTER



- Ideal for chilling beer, champagne, wine and cocktail glasses
- Ideal for chilling bottles
- Sterilises glasses
- Requires fluid CO2 cylinders
- Neon, colour changing lights illuminate the glass as you frost

Model	Glass Diameter	Room Temperature	Weight		Dimensions (mm) Width / Depth / Height		
GF-1000	13cm	Lower than 30°C	4.3kg	130	270	410	£798

VESTFROST SLIDING GLASS LID CHEST FREEZERS







3

- Refrigerant: R600a
- Skin condenser
- Power supply: 13 amp plug Sliding glass lids
- Super-freeze function
- LCD temperature display

Model	Capa Gross /	Temperature		nsions Depth /		Price	
IKG205	194L	6.9	-18°C to -24°C	720	600	905	£812
IKG275	265L	9.4	-18°C to -24°C	920	600	905	£854
IKG405	386L	13.6	-18°C to -24°C	1260	600	905	£962

DIAMOND SLIDING GLASS LID CHEST FREEZERS





Years Parts & Labour

2-3 Workina

Days Delivery



- Power supply: 13 amp plug
- 60mm insulation
- Sliding glass lids
- Electronic thermostat
- Swivel castors
- Trolley bumper

Model	Capa Gross /		Temperature		Dimensions (mm) Width / Depth / Height			
VT150E/N-R2	597L	21.1	-15°C to -23°C	1550	960	780	£2,582	
VT200E/N-R2	839L	29.6	-15°C to -23°C	2050	960	780	£2,956	
VT250E/N-R2	1032L	36.4	-15°C to -23°C	2500	960	780	£3,654	

STERLING PRO GREEN GLASS SLIDING LID CHEST FREEZERS

- Refrigerant: R290a
- Power supply: 13 am plug
- White exterior finish
- Aluminium interior finish
- 65mm thick insulation
- SPC461GC energy consumption: 4.2 kWh/24hrs
- SPC563GC energy consumption: 5.1 kWh/24hrs
- Static cooling system
- Manual defrost
- Max ambient of 32°C
- Number of baskets: x3
- Digital temperature display

Model	Capa Gross	city / Nett	Temperature		nsions Depth/		Energy Rating	Price
SPC461GC	461L	330L	-18°C to -24°C	1489	653	904	F	£938
SPC563GC	563L	438L	-18°C to -24°C	1772	653	904	F	£1,018



DIAMOND SLIDING CURVED GLASS LID CHEST FREEZERS



- Year Parts Only
 - 2-4 Weeks Lead-Time

- Power supply: 13 amp plug
- 70mm insulation
- Sliding glass lids
- Electronic thermostat
- Copper coil evaporators
- x2 Ventilated condensers

Model	Gross Capacity	Temperature	Dimensions (n Width / Depth / H			Price
VISUAL-15-R2	1700L	-15°C to -23°C	1500	940	880	£3,956
VISUAL-20-R2	2200L	-15°C to -23°C	2000	940	880	£4,362

DIAMOND SLIDING CURVED GLASS LID CHEST FREEZERS



- Refrigerant: R290a

- 60mm insulation

- Sliding curved glass lids
- Power supply: 13 amp plug
- Ventilated condenser
- Castors fitted as standard

Model	Capacity Gross / CUFT				Dimensions (mm) Width / Depth / Height			
SLID-11-R2	290L	10.1	-15°C to -23°C	1100	600	830	£1,594	
SLID-14-R2	392L	13.7	-15°C to -23°C	1400	600	830	£1,780	
SLID-18-R2	527L	18.5	-15°C to -23°C	1810	600	830	£2,066	

LIEBHERR ICE CREAM CHEST







- Refrigerant: R290a
- Power supply: 13 amp plug
- Suspension baskets
- Tempered safety glass
- Static cooling
- 60mm insulation
- Lockable lid
- Manufactured in Austria

Model	Capacity Gross / Nett	Temperature	Dimensions (mm) Width / Depth / Height	Price
EFI 2853	276L 197L	-10°C to -24°C	1045 661 825	£1,244

DIAMOND VENTILATED CHILLED DISPLAY CABINETS







- Refrigerant: R290
 - rant: R290 Stainless Steel exterior supply: 13 amp plug - Double glazed glass
- Power supply: 13 amp plugInternal LED lighting
- Built-in compressor unit

Model	Capacity	Temperature		ensions (mm) / Depth / Height		Price
VRDP-B1-R2	2 Shelves	+2°C to +10°C	785	650	735	£3,642
VRDG-B1-R2	2 Shelves	+2°C to +10°C	1185	650	735	£4,632

^√25∧ Diamond

ATOSA SLIMLINE DISPLAY CABINETS

- Fridge refrigerant: R600a (YCF9403GR: R290a)

- Freezer refrigerant: R290a - Power supply: 13 amp plug

- Top mounted compressor units
- Stainless Steel exterior and interior
- Heavy-duty Embraco compressor
- Magnetic door gaskets
- Self-closing and stay open door
- Recessed door handles
- Standard safety door lock

Standar	a saret	y door	TOCK					
Model	Туре	Doors	Gross Capacity	Temperature	Dimensions (mm) Width / Depth / Heigh			Price
YCF9401GR	Fridge	Single	410L	+2°C to +8°C	600	745	1945	£2,318
YCF9407GR	Freezer	Single	410L	-17°C to -20°C	600	745	1945	£3,224
YCF9402GR	Fridge	Double	900L	+2°C to +8°C	1200	745	1945	£3,008
YCF9408GR	Freezer	Double	900L	-17°C to -20°C	1200	745	1945	£4,292
YCF9403GR	Fridge	Triple	1390L	+2°C to +8°C	1800	745	1945	£3,782



DIAMOND PANORAMIC CHILLED DISPLAY CABINETS



- Power supply: 13 amp plug
- Internal LED lighting
- Mounted on 4 wheels
- Door with magnetic closure
- Automatic defrost
- Electronic controller

Model	Finish	Capacity	Temperature		nsions Depth /		Price
INN/VN-B9	Black	5 shelves	+2°C to +10°C	800	630	1850	£5,370
INN/VN-W5	White	5 shelves	+2°C to +10°C	800	630	1850	£5,370

DIAMOND PANORAMIC FROZEN DISPLAY CABINETS



- Power supply: 13 amp plug
- Internal LED lighting
- Mounted on 4 wheels
- Automatic defrost
- Electronic controller

Model	Finish	Capacity	Temperature		nsions Depth/		Price
SNE/SB-B7-R2	Black	5 shelves	-5°C to -18°C	600	630	1850	£5,132
SNE/SB-A5-R2	S/Steel	5 shelves	-5°C to -18°C	600	630	1850	£5,132

DIAMOND ARTEMIS SELF-SERVICE REFRIGERATED ISLANDS

- Refrigerant: R290a
- Power supply: 13 amp plug
- AISI 304 Stainless Steel display surface
- Glass panels in tempered glass
- Ventilated evaporator
- Built-in compressor unit
- Automatic defrost
- Digital temperature display
- Double auto evaporation of condensates

Model	Colour	Gross Capacity	Temperature		nsions Depth/		Price
AR129/V-A1-R2	Grey	1550L	+2°C to +6°C	1290	960	940	£3,700
AR129/V-B5-R2	Black	1550L	+2°C to +6°C	1290	960	940	£3,700
AR150/V-A1-R2	Grey	1750L	+2°C to +6°C	1500	960	940	£4,426
AR150/V-B5-R2	Black	1750L	+2°C to +6°C	1500	960	940	£4,426



CORECO FLAT & CURVED GLASS SERVEOVERS

- Power supply: 13 amp plug
- Refrigerant: R290a
- Stainless Steel worktop
- White and grey exterior
- 40mm thick polystyrene insulation

Curved

Flat

0.70m²

0.70m²



-1°C to +5°C

-1°C to +5°C

1525

1525

800

800

1230

1230

£3,098

£3,098









Model	Glass Style	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
CVED-8-20-C	Curved	0.94m ²	-1°C to +5°C	2025	800	1230	£3,598
CVED-8-20-R	Flat	0.94m ²	-1°C to +5°C	2025	800	1230	£3,598
CVED-8-25-C	Curved	1.19m²	-1°C to +5°C	2525	800	1230	£4,198
CVED-8-25-R	Flat	1.19m²	-1°C to +5°C	2525	800	1230	£4,198
CVED-8-30-C	Curved	1.41m²	-1°C to +5°C	2995	800	1230	£4,798
CVED-8-30-R	Flat	1.41m²	-1°C to +5°C	2995	800	1230	£4,798



CVED-8-15-C

CVED-8-15-R





DIAMOND FLAT GLASS BLACK SERVEOVERS

- Refrigerant: R290a
- Power supply: 13 amp plug
 - Tempered glass panels
- Black plasticized exterior
 - Stainless Steel interior
 - Granite worktop
- LED lighting with switch
 - x2 static evaporators - Automatic defrosting
- Built-in compressor unit
- Refrigerated under storage

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
RO10/B5-R2	0.83m ³	+4°C to +6°C	1000	800	1220	£3,164
RO15/B5-R2	1.23m³	+4°C to +6°C	1500	800	1220	£3,494
RO20/B5-R2	1.63m³	+4°C to +6°C	2000	800	1220	£3,926

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
RO25/B5-R2	2.03m ³	+4°C to +6°C	2500	800	1220	£4,710
RO30/B5-R2	2.43m³	+4°C to +6°C	3000	800	1220	£5,538

DIAMOND HILL SLIMLINE SERVEOVERS







- Power supply: 13 amp plug Refrigerated under storage
- Ambient display shelf
- Slimline, only 800mm deep
- Granite worktop
- White & grey exterior

Model	Deck Area	Temperature		Dimensions (mm Width / Depth / Heig		Price
WR-CVD1-15	1.23m³	+4°C to +6°C	1500	800	1220	£3,008
WR-CVD2-20	1.63m³	+4°C to +6°C	2000	800	1220	£3,382

DIAMOND MELODY SERVEOVERS







- Power supply: 13 amp plug
- White and grey finish
- Curved tempered glass
- Granite worktop
- Ambient internal display shelf Front bumpers

Model	Deck Area	Temperature		Dimensions (mm Width / Depth / Heig		Price
MY20/A1-R2	3.04m³	+4°C to +6°C	2000	1060	1205	£5,290
MY25/A1-R2	3.79m³	+4°C to +6°C	2500	1060	1205	£6,088

Diamond STERLING PRO

DIAMOND CURVED GLASS **BLACK SERVEOVERS**

- Refrigerant: R290a
- Power supply: 13 amp plug
- Curved and tempered glass
- Stainless Steel exposure
- Black Plasticized exterior
- Granite worktop
- LED lighting with switch
- x2 static evaporators
- Automatic defrosting
- Built-in compressor unit
- Refrigerated under storage

Deck Area

1.44m³

1.9m³

2.37m³





Model

ML15/B5-R2

ML20/B5-R2

ML25/B5-R2





DIAMOND SAIGON PLUS CURVED GLASS SERVEOVERS

- Refrigerant: R290a

1

- Power supply: 13 amp plug
- Designed for fish and fresh meat
- Tempered glass curved windows
 - Stainless Steel exterior
 - Granite worktop
- Perforated bottom for water drain
 - Built-in compressor unit
 - Thermostat control
 - Double static cooling
 - Max ambient of 25°C
 - Static evaporator

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
SG15B/A1-R2	1.87m³	0°C to +2°C	1500	1195	1175	£5,250
SG20B/A1-R2	2.47m³	0°C to +2°C	2000	1195	1175	£6,052

Model	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
SG25B/A1-R2	3.07m ³	0°C to +2°C	2500	1195	1175	£7,206
SG30B/A1-R2	3.68m³	0°C to +2°C	3000	1195	1175	£7,966

STERLING PRO SALINA FLAT & CURVED GLASS SERVEOVERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- Large 560mm deep display deck
- Display deck in food-safe white steel
- Refrigerated under-storage
- Electronic controls
- Neon lighting
- Automatic defrost
- Ambient display shelf
- Whilst stocks last (see Coreco CVED, P52)







2

Years Parts



Model	Glass Style	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
SALINA80/100VCC	Curved	0.6m ²	+3°C to +5°C	1040	900	1292	£2,420
SALINA80/100VD	Flat	0.6m ²	+3°C to +5°C	1040	900	1262	£2,420
SALINA80/150VD	Flat	0.83m ²	+3°C to +5°C	1520	900	1262	£2,732
SALINA80/200VD	Flat	1.1m ²	+3°C to +5°C	2000	900	1262	£3,294

Model	Glass Style	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
SALINA80/250VCC	Curved	1.38m²	+3°C to +5°C	2480	900	1292	£3,764
SALINA80/250VD	Flat	1.38m²	+3°C to +5°C	2480	900	1262	£3,764
SALINA80/300VCC	Curved	1.66m²	+3°C to +5°C	2960	900	1292	£4,628
SALINA80/300VD	Flat	1.66m ²	+3°C to +5°C	2960	900	1262	£4,628

STERLING PRO KIBUK SERVEOVERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- Stainless Steel display deck
- Wooden side walls
- Automatic defrost
- Manual condensate tray
- Refrigerated under-storage
- Electronic controls
- LED liahtina
- Curved glass
- Low energy consumption
- Contact to dicuss delivery options









Model	Deck Area	Temperature	Dimensions (n Width / Depth / H			Price
KIBUK100	0.6m ²	+3°C to +5°C	1040	900	1262	£3,096
KIBUK150	0.83m ²	+3°C to +5°C	1520	900	1262	£3,658
KIBUK200	1.1m²	+3°C to +5°C	2000	900	1262	£4,392

Model	Deck Area	Temperature		nsions Depth /		Price
KIBUK250	1.38m²	+3°C to +5°C	2480	900	1262	£5,122
KIBUK300	1.66m²	+3°C to +5°C	2960	900	1262	£6,136











- Refrigerant: R452a
- Power supply: 13 amp plugx1 refrigerated shelf
 - x2 ambient shelves
- Stainless Steel exterior & interior
 - Slide-out display deck
 - Anti-mist front glass
 - 3 glass shelves
 - Electronic controls
 - Scratch-resistant serving shelf
 - Neon lighting for each shelf
 - Automatic timed defrostLow energy consumption
 - Modern front down-light

Model	Deck Area	Temperature	Dimensions (m Width / Depth / He			Price
RIVO100	1.48m²	+3°C to +5°C	1030	876	1432	£3,696
RIVO140	1.79m²	+3°C to +5°C	1435	876	1432	£4,152

Model	Deck Area	Temperature	Dime Width /	Price		
RIVO200	2.67m ²	+3°C to +5°C	1910	876	1432	£5,214
RIVO280	3.86m ²	+3°C to +5°C	2790	876	1432	£7,128

STERLING PRO EVO-SELF SELF-SERVICE COUNTERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- Self-service
- Glass side walls
- Electronic timed defrost
- Perforated wall for excellent airflow
- Stainless Steel shelves and deck
- Neon lighting for each shelf
- *Black models are special order only (please enquire for more infe

RS I	
£5,664	
state of the state	
please enquire for more info)	EVO-SELF-180-SS £5,324



2

Years Parts & Labour

Model	Finish	Shelves	Temperature	Dimensions (mn Width / Depth / Hei			Price
EVO-SELF-90-BLK	Black	3	+3°C to +5°C	900	780	1510	£3,480
EVO-SELF-90-SS	S/Steel	3	+3°C to +5°C	900	780	1510	£3,278
EVO-SELF-120-BLK	Black	3	+3°C to +5°C	1200	780	1510	£4,164
EVO-SELF-120-SS	S/Steel	3	+3°C to +5°C	1200	780	1510	£3,914
EVO-SELF-150-BLK	Black	3	+3°C to +5°C	1500	780	1510	£4,584

Model	Finish	Shelves	Temperature	Dimer Width /	nsions Depth /		Price
EVO-SELF-150-SS	S/Steel	3	+3°C to +5°C	1500	780	1510	£4,312
EVO-SELF-180-BLK	Black	3	+3°C to +5°C	1800	780	1510	£5,664
EVO-SELF-180-SS	S/Steel	3	+3°C to +5°C	1800	780	1510	£5,324
EVO-SELF-240-BLK	Black	3	+3°C to +5°C	2400	780	1510	£7,688
EVO-SELF-240-SS	S/Steel	3	+3°C to +5°C	2400	780	1510	£7,232

STERLING PRO EVO PATISSERIE

COUNTERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- Rear sliding doors for easy access
- 3 adjustable glass shelves
- Neon lighting on shelves
- Ventilated refrigeration
- Front glass opening
- Upper lighting
- Timed defrosting
- Electronic control panel











Model		Finish	Deck Area	Temperature		nensions (mm n / Depth / Heig		Price
EVO60-BL	ACK	Black	0.94m ²	+3°C to +5°C	680	785	1400	£2,736
EVO60-S	SS	S/Steel	0.94m ²	+3°C to +5°C	680	785	1400	£3,062
EVO90-BL	ACK	Black	1.41m ²	+3°C to +5°C	930	785	1400	£3,026
EVO90-S	SS	S/Steel	1.41m²	+3°C to +5°C	930	785	1400	£3,394

Model	Finish	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height		Price	
EVO120-BLACK	Black	1.88m²	+3°C to +5°C	1280	785	1400	£3,610
EVO120-SS	S/Steel	1.88m²	+3°C to +5°C	1280	785	1400	£4,058
EVO150-BLACK	Black	2.34m ²	+3°C to +5°C	1580	785	1400	£3,982
EVO150-SS	S/Steel	2.34m ²	+3°C to +5°C	1580	785	1400	£4,470









STERL	ING PRO SQUARE EVO
	PATISSERIE COUNTERS
	- Refrigerant: R452a

- Power supply: 13 amp plug
 - Stainless Steel deck
 - Black exterior finish - Rear sliding doors
- x3 refrigerated glass shelves
- Tempered square front glass
- Electronic timed defrosting
- Neon lighting for each shelf
 - Electronic controls
- Contact to discuss delivery options
- *EVO-K-80-BLACK is special order only (please enquire for more info)

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
EVO-K 90-BLACK	1.41m²	+3°C to +5°C	900	785	1400	£3,026
EVO-K 120-BLACK	1.88m²	+3°C to +5°C	1200	785	1400	£3,610

Model	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
EVO-K 150-BLACK	2.34m²	+3°C to +5°C	1500	785	1400	£3,982
EVO-K 180-BLACK	2.88m²	+3°C to +5°C	1800	785	1400	£4,910

MOFFAT MOBILE GRAB & GO HEATED & CHILLED MERCHANDISER







1825 £7,150

- Power supply: 13 amp plug
- Shelves: x2 heated / x3 chilled

680

- Stainless Steel construction Digital cabinet controller - 6mm toughened glass sides
 - Fan assisted technology
- Dimensions (mm) Width / Depth / Heigh Temperature Model Shelves Price +65°C to +75°C +2°C to +5°C 650

MOFFAT MOBILE GRAB & GO HEATED MERCHANDISER







- Power supply: 13 amp plug
- Shelves: x4 heated
- Stainless Steel construction Digital cabinet controller
- 6mm toughened glass sides - Fan assisted technology

Model	Shelves	Temperature		nsions Depth /		Price
MH1MIB	4	+65°C to +75°C	650	680	1825	£4,671

мнс1мів

2

Years Parts

& Labour

3-5 Working

Days Delivery

ATOSA STERLING PRO MOFFAT

ATOSA YLM MULTIDECK SERIES

- Refrigerant: R290a
- Power supply: 13 amp plug
- Mirrored Stainless Steel construction
- Glass sided viewing panels
- Ticket strips including
- White light LED lighting under each shelf
- Self-closing sliding doors
- Even airflow distribution system
- Castors and stability feet as standard



£5,174









DISPLAY CHILLERS

- Refrigerant: R452a
- Power supply: 13 amp plug - White exterior
- Compact design only 800mm deep
 - x4 painted steel shelves
 - Nightblind included
 - Automatic defrost
 - Ticket rails as standard
 - Ventilated cooling
 - Internal lighting
 - Tempered side glass
 - Electronic controls

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
VOLCANO80/100	4 shelves	+3°C to +5°C	1080	810	2040	£3,124
VOLCANO80/125	4 shelves	+3°C to +5°C	1330	810	2040	£3,396

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
VOLCANO80/150	4 shelves	+3°C to +5°C	1580	810	2040	£3,884
VOLCANO80/187	4 shelves	+3°C to +5°C	1955	810	2040	£4,346

MOFFAT MULTIDECK REFRIGERATED MERCHANDISER

- Refrigerant: R290
- Power supply: 13 amp plug
- Stainless Steel exterior
- Thermostatically controlled
- Automatic defrost

ML4SA

- Removable vent for easy cleaning
- Built-in lockable shutter

_	Duiit-iii	lockable Sti	utter					
-	- Swivel castors (x2 with brakes)							
-	- Double-glazed glass end panels as standard							
-	Internal		De l'anna	Ten				
-	- Digital temperature display					0	SERVICE STREET	22
	_							0
	Model	Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price	
	ML2SA	4 shelves	+2°C to +8°C	800	750	1930	£7,430	
	ML3SA	4 shelves	+2°C to +8°C	1128	750	1930	£8,360	

1457

750

1930

+2°C to +8°C







Diamond CORECO

DIAMOND DANNY MULTIDECK DISPLAY CHILLER

- Refrigerant: R290a
- Power supply: 13 amp plug
- White and Stainless Steel finish
- Nightblind optional upon request
- Tempered side glass
- x3 adjustable shelves
- Internal lighting
- Ventilated forced air evaporator
- Built-in compressor
- Max ambient of 25°C
- Digital temperature display
- Double auto evaporation





Model	Deck Area	Temperature		nsions Depth /		Price
DY10/A1-R2	1.62m³	+3°C to +6°C	1000	750	1820	£4,066
DY12/A1-R2	1.92m³	+3°C to +6°C	1200	750	1820	£4,358

Model	Deck Area	Temperature		Dimensions (mm) Width / Depth / Height		Price
DY15/A1-R2	2.39m³	+3°C to +6°C	1500	750	1820	£4,954
DY18/A1-R2	2.85m³	+3°C to +6°C	1800	750	1820	£5,742





DIAMOND BLACK MULTIDECK DISPLAY CHILLERS

- Power supply: 13 amp plug
- Nightblind optional upon request
 - Black Plasticized exterior
- Perforated grate and tank in S/Steel
 - Electronic controller
- Display shelves with ticket holders
 Ventilated cooling
 - x3 adjustable shelves
 - Only 570mm deep
 - Only 5/0mm deepVentilated evaporator
 - Electronic regulator
 - Double auto-evaporation

Model	Deck Area	Temperature		nsions Depth /		Price
MD07/B5-R2	0.88m³	+4°C to +8°C	700	570	2000	£3,724
MD10/B5-R2	1.23m³	+4°C to +8°C	1000	570	2000	£4,080

Model	Deck Area	Temperature	Dimensions (mm) Width / Depth / Height			Price
MD12/B5-R2	1.47m³	+4°C to +8°C	1200	570	2000	£4,438
MD15/B5-R2	1.82m³	+4°C to +8°C	1500	570	2000	£5,288

CORECO SECURE MULTIDECK DISPLAY CHILLERS

- Refrigeration: R404a

- Power supply: 13 amp plug

- Stainless Steel exterior and interior

- Electronic temperature control
- Includes lockable shutter
- Ventilated cooling
- Automatic defrost
- Tempered side glass
- LED lighting
- Adjustable shelves
- Ventilated evaporator


Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
CM-6-70-LC/SH	4 shelves	-1°C to +5°C	680	725	2020	£4,268
CM-6-100-LC/SH	4 shelves	-1°C to +5°C	970	725	2020	£4,698
CM-6-125-LC/SH	4 shelves	-1°C to +5°C	1220	725	2020	£5,248








Lead-Time



VESTFR#ST

VESTFROST LOW TEMPERATURE CHEST FREEZERS

- Power supply: 13 amp plug
- Digital XR30CX controller
- Stable and reliable
- Prepared for temperature logging
- Audible and visual alarm
- Prepared for CO2 backup system
- Single compressor low-energy system
- Lock fitted





Model	Capa Gross		Temperature		nsions Depth /		Price
VT147-60	140L	4.9	-40°C to -60°C	720	695	890	£2,674
VT307-60	296L	10.5	-40°C to -60°C	1260	695	890	£3,208
VT407-60	384L	13.6	-40°C to -60°C	1560	695	890	£3,422
VT547-60	495L	17.5	-40°C to -60°C	1660	758	850	£4,388

LEC MEDICAL BLUETOOTH PHARMACY REFRIGERATORS







- Refrigerant: R600a
- Bluetooth connected controller
- Power supply: 13 amp plug
- Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Door	Capa Gross	Acity / Nett	Temperature		nsions Depth		Price
PPSR310BT	Solid	310L	305L	+2°C to +8°C	595	660	1500	£2,872
PPGR310BT	Glass	310L	305L	+2°C to +8°C	595	660	1500	£3,226

LEC MEDICAL COUNTERTOP PHARMACY REFRIGERATOR








- Refrigerant: R600a
- External digital controller
- Power supply: 13 amp plug
- Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Door	Capa Gross		Temperature		nsions (Depth /		Price
PESR47DCUK	Solid	47L	30L	+2°C to +8°C	480	505	565	£960

LEC MEDICAL BLUETOOTH PHARMACY REFRIGERATORS

- Refrigerant: R600a
- Power supply: 13 amp plug
- Painted steel exterior
- Polystyrene sheeting interior
- Includes x1 basket & x4 shelves
- 45mm thick insulation
- Bluetooth connected controller
- Air & core temperature display
- Audible & visual alarms
- Internal LED lighting
- Fitted locks and 2 keys
- Max ambient of 32°C











LABCOLD SPARKFREE LABORATORY REFRIGERATORS



- Power supply: 13 amp plug
- Digital temperature display
- Sparkfree safety interior
- Moulded ABS interior
- Powder coated Steel exterior*
- Adjustable shelves

Model	Capacity	Temperature		nsions / Depth /		Price
*RLPR0217	66L	0°C to +10°C	450	510	740	£890
*RLPR0517	150L	0°C to +10°C	600	600	835	£1,056

LABCOLD SPARKFREE LABORATORY

FREEZERS £1,152







- Power supply: 13 amp plug - Digital temperature display
- Sparkfree safety interior
- Moulded ABS interior**
- Powder coated Steel exterior*
- Adjustable shelves

Model	Capacity	Temperature		nsions Depth/		Price
*RLVF0217	66L	-18°C to -25°C	450	510	740	£1,054
*RLVF0417	124L	-18°C to -25°C	600	600	830	£1,152
**RLVF1517	406L	-12°C to -24°C	600	585	1855	£2,626

LEC MEDICAL LABORATORY REFRIGERATOR & FREEZER







- Refrigerant: R600a
- Power supply: 13 amp plug
- Air & core temperature display
- Painted steel exterior
- Audible & visual alarms

Model	Type	Capa Gross	/ Nett	Temperature		nsions (Depth /		Price
LSFSR107UK	Fridge	107L	103L	+2°C to +10°C	495	620	830	£1,322
LSFSF107UK	Freezer	107L	103L	-18°C to -25°C	495	620	830	£1,434

LEC MEDICAL BLUETOOTH LABORATORY CABINETS







- Refrigerant: R600a
 - Bluetooth connected controller
- Power supply: 13 amp plug Painted steel exterior
- Air & core temperature display - Audible & visual alarms
- Capacity Gross / Nett Temperature Dimensions (mm)
 Width / Depth / Height Model Price Type LSFSR158BT-UK Fridge 158L 154L +2°C to +10°C 595 660 850 £1,354 LSFSF98BT-UK Freezer 98L 84L -18°C to -25°C 595 660 850 £1,408

LEC MEDICAL BLUETOOTH LABORATORY UPRIGHTS







- Refrigerant: R600a
- Bluetooth connected controller
- Power supply: 13 amp plug Painted steel exterior
- Air & core temperature display - Audible & visual alarms
- Capacity
 Gross / Nett
 Temperature
 Dimensions (mm)
 Width / Depth / Heigh Price LSFSR310BT-UK Fridge 310L 310L +2°C to +10°C 595 1560 £2,420 660 LSFSF242BT-UK Freezer 242L 229L -18°C to -25°C 660 1500 £2,604

HOBART MEDICAL DISHWASHER









- Power supply: 13 amp plug
- Cycle time: 3-12 minutes
- Basket size: 500 x 500mm
- Wash programmes: 4
- thermal disinfection & intensive
- Integrated rinse pump - GENIUS-X2 fine filter system
- Racks Per Hour Dimensions (mm) Width / Depth / Height Water Model Price Softner Pump CARES-10B Yes Yes 40 600 603 825 £7,826

WHIRLPOOL ATLANTIS 6TH SENSE AMERICAN STYLE WASHER & DRYER

3LWTW4815FW Top Loading Washer

- Power supply: 13 amp plug
- 6th Sense Technology
- Hot and cold fill
- New high efficiency agitator
- Water level detection

3LWED4815FW Front Loading Dryer

- Power supply: 30 amp hard wired
- 6th Sense Technology
- Lint filter on top
- Drying time: full load in 80 mins
- Wrinkle shield cycle

Model	Туре	Capacity	Programmes		nsions Depth		Price
LWTW4815FW	Washer	15kg	12	699	686	1067	£1,720
SLWED4815FW	Dryer	15kg	18	737	717	1118	£1,480





WHIRLPOOL ATLANTIS CLASSIC AMERICAN STYLE WASHER & DRYER

3LWTW4705FW Top Loading Washer

- Power supply: 13 amp plug
- Hot and cold fill
- New high efficiency agitator
- Water level detection
- Automatic lid lock
- 4 water temperature options Dry noise level: 70 dBA
- High spin speed: 660rpm
- White console
- Made in USA

3LWED4705FW Front Loading Dryer

- Power supply: 30 amp hard wired
- Lint filter on top
- Drying time: full load in 80 mins
- Wrinkle shield cycle
- Automatic lid lock
- 4-way rigid aluminium vent kit: £150
- White console
- Made in USA

Model	Туре	Capacity	Programmes		nsions / Depth /		Price
3LWTW4705FW	Washer	15kg	11	699	686	1067	£1,540
3LWED4705FW	Dryer	15kg	16	737	705	1118	£1,432









WHIRLPOOL OMNIA 6TH SENSE WASHER AND HEAT PUMP DRYER

AWG1112/PRO Washer

- Power supply: 13 amp plug
- 6th Sense Technology
- Best Zen Sound Insulation
- Soft Move Technology
- Hygiene Wash for sanitised laundry Steam Care Technology
- Rapid Option to reduce wash times -
- Wash noise level: 48 dBA
- Detergent dosing aid option
- with EU Machinery Directive
- Stackable with kit (C00378975)

AWZ9HP/PRO **Heat Pump Dryer**


- Power supply: 13 amp plug
- 6th Sense Technology
- Best Zen Sound Insulation
- Soft Move Technology
- 3Dry Technology
- Extra Silent overnight cycle
- Reversible hinge
- Tested to 5,000 cycles compliant Tested to 5,000 cycles compliant with EU Machinery Directive
 - Stackable with kit (C00378975)

Model	Туре	Capacity	Programmes		nsions Depth		Energy Rating	Price
AWG1112/PRO	Washer	11kg	10	595	700	850	A+++	£1,686
AWZ9HP/PRO	Dryer	9kg	15	595	656	849	A++	£1,622
C00378975	Stacking Kit	N/A	N/A	N/A	N/A	N/A	N/A	£70
C00424828	Limescale Remover	12 doses	N/A	N/A	N/A	N/A	N/A	£26
Word Control of the C	Limescale and grease rer first withing meeting to de constant to the constant	D =		A			c0037897 £70	



WHIRLPOOL OMNIA AWG1112/PRO 6TH SENSE WASHER SANITATION PROGRAMMES

The Whirlpool AWG1112 has Hygiene and Working Clothes programmes with high temperature washes of up to 83°C. The Hygiene programme is specifically developed to provide maximum hygiene cleaning results, while guaranteeing your laundry is safe and sanitised. Whereas the Working Clothes programme is for dirty working clothes made of robust cotton material or cotton-synthetics blends.



THE OPTIMAL WASH PROGRAMMES FOR...

businesses where cleanliness and hygiene are vital to prevent contamination and the spreading of germs.

Perfect for:

- Care homes
- Sports and fitness clubs
- Hotels and B&Bs

DEEP SANITISING ACTION

- Extremely high temperatures
- kept for a long time
- Strong and intensive
- mechanical action due to
- continuous drum movements
- 2 rinses with cold water



ELECTROLUX MYPROXL SMART PROFESSIONAL WASHER





ELECTROLUX MYPROXL SMART PROFESSIONAL VENTED DRYERS

- Power supply: 22 amp hard wired

- Half load drying time (Electric/Gas): 45/44 mins

- Full load drying time (Electric/Gas): 87/84 mins

- Drying noise level: 68 dBA

- Programmes: High/Medium/Low/No Heat

- Energy consumption: 7.21 kWh (standard cycle)

- Powder painted exterior

- Filter with handle for easier removal

Dimensions (mm)

Price

- Built to last more than 15,000 cycles - even in demanding conditions

- Coinmeter options available on all models (POA)

- Stacking kit for myPROXL range (988692090): £290

- 2 years parts only warranty (or a 6,000 cycles usage cap)

Programmes

			voidine		*********	Deptii,	ricigiic	
TE1220E	Electric	12kg	218L	4	686	822	1098	£2,498
TE1220G	Gas	12kg	218L	4	686	822	1098	£2,698
O					Elect	Poliux Proliux		

Capacity

ELECTROLUX MYPRO SMART PROFESSIONAL WASHER AND CONDENSER DRYER

WE170P Washer

- Power supply: 13 amp plug
- 60°C wash time: only 82 mins
- Hot and cold fill
- Wash noise level: 49 dBA
- Fitted with drain pump
- Stainless Steel front and top
- Built to last more than 7,500 cycles in demanding conditions
- Stacking kit (ELE-STA9S): £158
- Plinth drawer (PDSTP10S): £670
- Coinmeter option available (POA)

TE1120 Condenser Dryer

- Power supply: 13 amp plug
- Drying time: full load in 129 mins
- Includes child lock
- Dry noise level: 70 dBA
- Fitted with drain pump
- Stainless Steel front and top
- Built to last more than 7,500 cycles in demanding conditions
- Stacking kit (ELE-STA9S): £158
- Plinth drawer (PDSTP10S): £670
- Coinmeter option available (POA)

			,					
Model	Туре	Capacity	Programmes	Dime Width	ensions (r / Depth / H	nm) leight	Energy Rating	Price
WE170P	Washer	8kg	16	597	624	850	A+++	£2,528
TE1120	Dryer	8kg	16	596	625	850	Α	£1,954
	8			2 2 2 2	Sado ?			





SAMSUNG COMMERCIAL LARGE CAPACITY WASHER & HEAT PUMP DRYER

WF18T8000GV Washer

- Power supply: 13 amp plug
- Black caviar body colour
- Tint door with black deco
- Energy consumption per 100 cycles: 76 kWh
- Water consumption per cycle: 70 litres
- Max spin speed: 1100 RPM
- Cycles include Heavy Duty, Hygiene, Steam, Eco 40-60 and intense cold
- Stacking kit available: £200

DV16T8520BV Heat Pump Dryer

- Power supply: 13 amp plug
- Hybrid heat pump
- Black caviar body colour
- Tint door with black deco
- Energy consumption:
 304 kWh/year
- Interior drum light
- Filter check indicator
- Mixed load bell / Damp alert
- Cycles include Hygiene Care+ and Delicates
- Stacking kit available: £200

	Model	Туре	Capacity	Programmes		nsions Depth/		Energy Rating	Price
	WF18T8000GV	Washer	18kg	12	686	796	984	С	£2,590
	DV16T8520BV	Dryer	16kg	14	686	844	984	A+++	£2,590
1			\$AMsung			を直			

MIELE SMARTBIZ COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: household
- Programme duration with cold water connection: 79 minutes
- Number of cycles per day: up to 3
- Spin speed: 1,400 RPM
- Energy consumption with cold water connection: 1.10 kWh (Cottons 60°C)
- Water consumption with cold water connection: 49L (Cottons 60°C)
- Honeycomb drum
- Tested operating hours: 15,000
- Stackable with kit

Model	Capacity	Drum Volume	Dimensions (mm) Width / Depth / Height		Energy Rating	Price	
PWM 300 DP	7kg	64 Litres	596	636	850	Α	£3,046









MIELE SMARTBIZ COMMERCIAL HEAT PUMP DRYER

- Power supply: 13 amp plug
- Programme package: household - Programme duration on Normal
 - mixed fabrics: 99 minutes
- Annual energy consumption: 152 kWh
 - Energy consumption for Normal programme: 0.12 kWh
 - PerfectDry system
 - Gentle tumble function
 - Condensed water drainage
 - Drying noise level: 66 dBA
 - Tested operating hours: 15,000
 - Stackable with kit

Model	Capacity	Drum Volume	Dimensions (mm) Width / Depth / Height		Energy Rating	Price	
PDR 300 HP	7kg	120 Litres	596	636	850	Α	£2,656

MIELE EVOLUTION COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: household
- Programme duration with cold water connection: 69 minutes
- Number of cycles per day: up to unlimited
- Spin speed: 1,600 RPM
- Energy consumption with cold water connection: 0.98 kWh (Cottons 60°C)
- Water consumption with cold water connection: 49L (Cottons 60°C)
- WRAS Category 5
- Tested operating hours: 30,000
- Stackable with kit

Model	Capacity	Drum Volume		nsions Depth /		Noise Level (Wash/Dry)	Energy Rating	Price
PWM 307	7kg	64 litres	596	714	850	70 dBA	Α	£3,654







MIELE EVOLUTION COMMERCIAL HEAT PUMP DRYER

- Power supply: 13 amp plug
- Programme package: household
- Programme duration on Normal mixed fabrics: 66 minutes
- Annual energy consumption: 212 kWh
- Energy consumption for Normal programme: 0.17 kWh
- Max evaporation capacity: 2.7 p/hour
- PerfectDry system
- Gentle tumble function
- Condensed water drainage
- Tested operating hours: 30,000







MIELE EVOLUTION COMMERCIAL VENTED DRYER

- Power supply: 13 amp plug

- Programme package: household

- Programme duration on Normal mixed

fabrics: 57 minutes

- Annual energy consumption: 524 kWh

- Energy consumption for Normal programme: 0.49 kWh

- Max evaporation capacity: 2.6 p/hour

- PerfectDry system

- Intelligent drum reversal

- Low temperature function - Tested operating hours: 30,000

- Stackable with kit

Model	Capacity	Drum Volume		nsions Depth /		Noise Level (Wash/Dry)		Price
PDR 307 EL	7kg	130 litres	596	717	850	66 dBA	С	£3,264

MIELE PERFORMANCE COMMERCIAL WASHING MACHINE

- Power supply: 13 amp plug
- Programme package: Full suite including Hygiene / special programmes & workwear
- Programme duration with cold / cold & hot water connections: 69 minutes / 59 minutes
- Number of cycles per day: unlimited
- Spin speed: 1600 RPM
- Energy consumption with cold / cold & hot water connections: 0.98 kWh / 0.44 kWh (Cottons 60°C)
- Water consumption with cold / cold & hot water connections: 49L / 46L (Cottons 60°C)
- Tested operating hours: 30,000
- WRAS category 5
- Stackable with kit

Model	Capacity	Drum Volume		nsions Depth/		WRAS Category	Energy Rating	Price
PWM 507	7kg	64 litres	596	714	850	5	Α	£5,134



Miele

MIELE PERFORMANCE COMMERCIAL HEAT PUMP DRYER

- Power supply: 13 amp plug
- Programme package: full suite including Hygiene
- Programme duration on Normal mixed fabrics: 66 minutes
- Annual energy consumption: 212 kWh
- Energy consumption for Normal programme: 0.17 kWh
- Max evaporation capacity: 2.7 p/hour
- PerfectDry system
- Gentle tumble function
- Condensed water drainage
- Tested operating hours: 30,000
- Stackable with kit







MIELE PERFORMANCE COMMERCIAL VENTED DRYER

- Power supply: 13 amp plug

- Programme package: full suite including Hygiene

Programme duration on Normal mixed fabrics: 57 minutes

- Annual energy consumption: 524 kWh

- Energy consumption for Normal programme: 0.49 kWh

- Max evaporation capacity: 2.6 p/hour

- PerfectDry system

- Intelligent drum reversal

- Low temperature function

- Tested operating hours: 30,000

- Stackable with kit

Model	Capacity	Drum Volume		ensions / Depth /		Noise Level (Wash/Dry)	Energy Rating	Price
PDR 507 EL	7kg	130 litres	596	717	850	66 dBA	С	£4,342

MIELE ROTARY IRONERS



- Power supply: 13 amp plug Front laundry infeed and outfeed
- Lotus white outer casing
- Roller diameter: 160mmRolling speed: 4.5m/min
- 50mm F
- Automatic trigger finger guardFoot switch roller operation
 - x4 fitted castors
- Fold-Away Function Dimensions (mm) Width / Depth / Heigh Model Capacity Price 985 HM 16-80 D 13kg/h¹ 380 959 £3,080 HM 16-83 15kg/h1 1050 960 £4.698 Nο 380

MIELE STEAM IRONING SYSTEM



- Power supply: 13 amp plug Safe auto-off function
- Patented 1-2 lift system
- Professional ironing board cover
- Cool-down function
- Attachable non-stick soleplate

Model	Water Container Capacity	Tested Operating Hours		ensions (/ Depth /		Price
PIB 100	5 Litres	7,500 hours	470	1510	970	£4,698



HOBART ECOMAX PLUS GLASSWASHERS

- Power supply: 13 amp plug
- Basket size: 400 x 400mm (G415W/SW)
- 500 x 500mm (G515W/SW)
- Water consumption: 2L (G415W/SW)
- 2.3L (G515W/SW)
- Power consumption: 3.2 kW (G415W/SW)
 - 5.7kW (G515W/SW)
- Racks per hour: 60
- Double-walled housing
- Energy efficiency saves operating costs
- Course filter & pump suction
- Door damping control

	Model Water Soften		Cycle Time	Glass Capacity	Dime Width /	Price		
G415W-10C		No	60-180 seconds	18 pints	460	590	705	£4,650
	G415SW-10C	Yes	60-180 seconds	18 pints	460	590	705	£5,150









Model	Water Softener	Cycle Time	Glass Capacity	Dime Width /	Price		
G515W-10C	No	60-180 seconds	25 pints	600	600	825	£5,290
G515SW-10C Yes		60-180 seconds	25 pints	600	600	825	£6,290











HOBART ECOMAX **GLASSWASHERS**

- Power supply: 13 amp plug
- Basket size: 390 x 390mm (G404W/SW)
 - 500 x 500mm (G504W/SW)
 - Water consumption: 2L (G404W/SW)
 - 2.3L (G504W/SW)
- Power consumption: 2.1 kW (G404W/SW)
 - 4.1kW (G504W/SW)
 - Racks per hour: 60
 - Electronic controls
 - Rotating wash and rinse arms
 - Indented nozzles
 - Integrated counter

Model	Water Softener	Cycle Time	Glass Capacity	Tank Capacity		mensio		Price
G404W-12B	No	60-120 sec	16 pints	10 Litres	435	534	700	£2,500
G404SW-12B	Yes	60-120 sec	16 pints	10 Litres	435	534	700	£3,120

Model	Water Softener	Cycle Time	Glass Capacity	Tank Capacity		nensio		Price
G504W-10B	No	60-150 sec	25 pints	25 Litres	576	604	820	£3,940
G504SW-10B	Yes	60-150 sec	25 pints	25 Litres	576	604	820	£5,060

DC ECONOMY GLASSWASHERS & WATER SOFTENERS

- Power supply: 13 amp plug
- Cycle time: 120 seconds
- Baskets included: x2
- Stainless Steel exterior
- Low water usage
- Energy saving water pump
- EasyClean filters
- Removable anti-block wash & rinse arms
- Integral detergent & rinse aid dosing units
- Simple, intuitive controls
- Double skinned Door

Model	Туре	Drain Pump	Capacity		ensions / Depth /		Price
EG35	Glasswasher	No	12 pints	415	465	590	£1,270
EG35D	Glasswasher	Yes	12 pints	415	465	590	£1,430
EG40	Glasswasher	No	16 pints	465	510	640	£1,470





Model	Туре	Drain Pump	Capacity	Dimensions (mm) Width / Depth / Height			Price
EG40D	Glasswasher	Yes	16 pints	465	510	640	£1,630
WSD08	Water Softener	N/A	8 litres	N/A	N/A	N/A	£136
WSD12	Water Softener	N/A	12 litres	N/A	N/A	N/A	£152



DC STANDARD GLASSWASHERS

- Power supply: 13 amp plug
- Baskets included
- Rinse thermo-lock
- Energy saving wash pump
- Double-skinned Stainless Steel cabinet and door
- Removable anti-block wash and rinse arms
- Hydro-dynamic basket slides
- Integral detergent and rinse aid dosing units

	Water	Drain		Cycle	D:-		()	
Model	Softener	Pump	Capacity	Time		nsions (Depth /		Price
SG35	No	No	14 pints	120 sec	425	470	590	£1,380
SG35IS	Yes	No	14 pints	120 sec	425	470	590	£1,640
SG35D	No	Yes	14 pints	120 sec	425	470	590	£1,540
SG35ISD	Yes	Yes	14 pints	120 sec	425	470	590	£1,800
SGP35 TALL	No	No	14 pints	120 sec	425	470	640	£1,470
SGP35IS TALL	Yes	No	14 pints	120 sec	425	470	640	£1,730
SGP35D TALL	No	Yes	14 pints	120 sec	425	470	640	£1,630
SGP35ISD TALL	Yes	Yes	14 pints	120 sec	425	470	640	£1,890
SG40	No	No	18 pints	120 sec	475	515	640	£1,610
SG40IS	Yes	No	18 pints	120 sec	475	515	640	£1,870
SG40D	No	Yes	18 pints	120 sec	475	515	640	£1,770
SG40ISD	Yes	Yes	18 pints	120 sec	475	515	640	£2,030
SGP40 TALL	No	No	18 pints	120 sec	475	515	690	£1,680
SGP40IS TALL	Yes	No	18 pints	120 sec	475	515	690	£1,940
SGP40D TALL	No	Yes	18 pints	120 sec	475	515	690	£1,840
SGP40ISD TALL	Yes	Yes	18 pints	120 sec	475	515	690	£2,100
SG45	No	No	25 pints	120 sec	525	545	690	£1,980
SG45IS	Yes	No	25 pints	120 sec	525	545	690	£2,240
SG45D	No	Yes	25 pints	120 sec	525	545	690	£2,140
SG45ISD	Yes	Yes	25 pints	120 sec	525	545	690	£2,400
SG50	No	No	30 pints	120 sec	575	605	690	£2,100
SG50IS	Yes	No	30 pints	120 sec	575	605	690	£2,360
	No	Yes	30 pints	120 sec	575	605	690	£2,260
SG50D	INU		50 pintes					22,200



ADLER PROFESSIONAL GLASSWASHERS







1

- Baskets included: x1
- Power supply: 13 amp plug Racks per hour: 30
- Basket size: 400 x 400mm
- Cycle time: 120 seconds - Includes Chemical Pump

Model	Gravity Drain	Drain Pump	Water Softener		nsions / Depth /		Price
AD40GL	Yes	No	No	495	515	735	£1,598
AD40GL-DPSO	No	Yes	Yes	495	515	735	£2,098

ADLER PROFESSIONAL GLASSWASHERS









- Power supply: 13 amp plug Racks per hour: 60
 - Baskets included: x2
- Cycle time: 180 seconds
- Basket size: 500 x 500mm Includes Chemical Pump

Model	Gravity Drain	Drain Pump	Water Softener		nsions / Depth /		Price	
AD50GL	Yes	No	No	580	600	825	£2,100	
AD50GL-DP	No	Yes	No	580	600	825	£2,280	
AD50GL-DPSO	No	Yes	Yes	580	600	825	£2,598	





MIELE SMARTBIZ COMMERCIAL FREE-STANDING DISHWASHER

- Power supply: 13 amp plug

- Energy rating: E

- High-quality Stainless Steel exterior finish

- Max final rinse temperature: 82°C

- Energy consumption: 93 kWh/100 cycles

Water consumption: 12 litres/cycle

- Programmes include: Short, Hygiene, Glasses Cold/Pre-wash, Energy Save/Eco and Intensive

- Door opens automatically after each wash

- FlexiTimer: auto-selects cheapest tariff

13 place settings in just 36 minutes

- Combi dispenser positioned in the door

Drain

Pump

- Tested operating hours: 12,500

Water Softener

Yes

Model

PFD 100



HOBART ECOMAX PLUS DISHWASHERS

Shortest

Programme Cycle

36 minutes

670

690







- Power supply: 13 amp plug
- Baskets included: x1
- Basket size: 500 x 500mm
- Racks per hour: 60
- Rotating wash and rinse arms
- Double-walled housing

Model	Water Softener	Cycle Time	Capacity	Dimensions (mm) Width / Depth / Height			Price
F515W-10C	No	60-180 seconds	18 plates	600	600	825	£5,550
F515SW-10C	Yes	60-180 seconds	18 plates	600	600	825	£6,450

HOBART ECOMAX DISHWASHERS









- Power supply: 13 amp plug
- Baskets included: x1
- Racks per hour: 60
- Rotating wash and rinse arms
- Basket size: 500 x 500mm - Thermostop function

Model	Water Softener	Cycle Time	Capacity	Dimensions (mm) Width / Depth / Height			Price
F504W-20B	No	60-150 seconds	18 plates	576	604	820	£4,300
F504SW-20B	Yes	60-150 seconds	18 plates	576	604	820	£5,410

DC ECONOMY DISHWASHERS

- Power supply: 13 amp plug

- Cycle time: 180 seconds

- Baskets size: 500 x 500mm

- Stainless Steel exterior

- Low water usage

- Energy saving water pump

EasyClean filters

- Removable anti-block wash & rinse arms

- Integral detergent & rinse aid dosing units

Simple, intuitive controls

Double skinned door





Model	Water Softener	Drain Pump	Break Tank	Capacity		Dimensions (mm) Width / Depth / Height		Price
ED50	No	No	No	18 plates	565	610	830	£2,100
ED50D	No	Yes	No	18 plates	565	610	830	£2,260
ED50IS	Yes	No	No	18 plates	565	610	830	£2,360
ED50A	No	No	Yes	18 plates	565	610	830	£2,520

Model	Water Softener	Drain Pump	Break Tank	Capacity		Dimensions (mm Width / Depth / Heig		Price
ED50ISD	Yes	Yes	No	18 plates	565	610	830	£2,380
ED50AD	No	Yes	Yes	18 plates	565	610	830	£2,540
ED50AIS	Yes	No	Yes	18 plates	565	610	830	£2,640
ED50AISD	Yes	Yes	Yes	18 plates	565	610	830	£2,800



DC STANDARD DISHWASHERS

- Power supply: 13 amp plugCycle time: 180 seconds
- Baskets included
- Rinse thermo-lock
- Energy saving wash pump
- Double-skinned Stainless Steel cabinet and door
- Removable anti-block wash and rinse arms
- Supplied with 1 dish, 1 cup and cutlery basket

Model	Water Softener	Drain Pump	Break Tank	Capacity		nsions / Depth /		Price
SD40	No	No	No	11 plates	475	540	690	£1,900
SD40D	No	Yes	No	11 plates	475	540	690	£2,060
SD40IS	Yes	No	No	11 plates	475	540	690	£2,160
SD40A	No	No	Yes	11 plates	475	540	690	£2,180
SD40ISD	Yes	Yes	No	11 plates	475	540	690	£2,320
SD40AD	No	Yes	Yes	11 plates	475	540	690	£2,340
SD40AIS	Yes	No	Yes	11 plates	475	540	690	£2,440
SD40AISD	Yes	Yes	Yes	11 plates	475	540	690	£2,600
SD45	No	No	No	14 plates	535	575	795	£2,100
SD45D	No	Yes	No	14 plates	535	575	795	£2,260
SD45IS	Yes	No	No	14 plates	535	575	795	£2,360
SD45A	No	No	Yes	14 plates	535	575	795	£2,380
SD45ISD	Yes	Yes	No	14 plates	535	575	795	£2,520
SD45AD	No	Yes	Yes	14 plates	535	575	795	£2,540
SD45AIS	Yes	No	Yes	14 plates	535	575	795	£2,640
SD45AISD	Yes	Yes	Yes	14 plates	535	575	795	£2,800
SD50	No	No	No	18 plates	580	635	825	£2,200
SD50D	No	Yes	No	18 plates	580	635	825	£2,360
SD50IS	Yes	No	No	18 plates	580	635	825	£2,460
SD50A	No	No	Yes	18 plates	580	635	825	£2,480
SD50ISD	Yes	Yes	No	18 plates	580	635	825	£2,620
SD50AD	No	Yes	Yes	18 plates	580	635	825	£2,640
SD50AIS	Yes	No	Yes	18 plates	580	635	825	£2,740
SD50AISD	Yes	Yes	Yes	18 plates	580	635	825	£2,900





ADLER PROFESSIONAL DISHWASHERS

Cycle time: 180 secondsBaskets size: 500 x 500mm

- Racks per hours: 60 (1,080 plates)

- Temperatures: Wash 85°C / Rinse 60°C

- Water consumption: 2.8 litres per cycle

- Tank capacity: 24 litres

- Baskets included: x2

Stainless Steel interior and exterior

- Single insulated panels

- Double insulated door

Model	Drain	Pumps		Softener		Depth /		Supply	Price
AD50	Yes	Yes	No	No	580	600	825	13 amp plug	£2,100
AD50-DP	No	Yes	Yes	No	580	600	825	13 amp plug	£2,280
AD50-DPSO	No	Yes	Yes	Yes	580	600	825	13 amp plug	£2,598
AD50-DP-30	No	Yes	Yes	No	580	600	825	30 amp plug	£2,598



HOBART ECOMAX PLUS PASSTHROUGH









- Power: 3 phase hardwired
- Racks per hour: 60
- Baskets included: x1
- 4 sided fully enclosed hood
- Basket size: 500 x 500mm
- Tabling sold separately

Model	Water Softener	Cycle Time	Capacity	Capacity Dimensions (mm) Width / Depth / Height				
H615W-10C	No	60-180 seconds	18 plates	635	740	1480	£8,610	
H615SW-10C	Yes	60-180 seconds	18 plates	635	740	1480	£9,560	

HOBART ECOMAX PASSTHROUGH







0% Interest Free

- Power: 3 phase hardwired
- Racks per hour: 48
- Baskets included: x1
- 4 sided fully enclosed hood
- Basket size: 500 x 500mm
- Tabling sold separately

Model	Water Softener	Cycle Time	Capacity	Dime Width /	nsions Depth	(mm) / Height	Price
H604W-12B	No	75-180 seconds	18 plates	635	740	1480	£6,680
H604SW-12B	Yes	75-180 seconds	18 plates	635	740	1480	£7,940

DC STANDARD PASSTHROUGH DISHWASHERS

- Power supply: 30 amp hard wire
- Cycle time: 120 and 180 seconds
- Capacity: 18 plates
- Basket size: 500 x 500mm
- Heavy-duty wash pump
- Removable wash and rinse arms
- EasyClean dual filter system
- Extra loading height
- Self-draining wash pump
- Available with tabling

red nds			
1 S SD9000	5000	A	
£4,:	350	1	1







Model	Water Softener	Drain Pump	Break Tank	Chemical Pump		nsions Depth		Price
SD900CP	No	No	No	Yes	655	785	1475	£3,860
SD900CP-D	No	Yes	No	Yes	655	785	1475	£4,040
SD900CP-IS	Yes	No	No	Yes	655	785	1475	£4,170
SD900A-CP	No	No	Yes	Yes	655	785	1475	£4,140

Model	Water Softener	Drain Pump		Chemical Pump	Dimensions (mm) Width / Depth / Heigh			Price
SD900CP-ISD	Yes	Yes	No	Yes	655	785	1475	£4,350
SD900A CP-D	No	Yes	Yes	Yes	655	785	1475	£4,320
SD900A CP-IS	Yes	No	Yes	Yes	655	785	1475	£4,450
SD900A CP-ISD	Yes	Yes	Yes	Yes	655	785	1475	£4,630







ADLER PROFESSIONAL PASSTHROUGH DISHWASHERS

- Cycle time: 180 seconds

- Baskets size: 500 x 500mm

- Racks per hours: 60 (1,080 plates)

- Temperatures: Wash 85°C / Rinse 60°C

- Water consumption: 2.8 litres per cycle

- Tank capacity: 20 litres

- Baskets included: x2

- Stainless Steel interior and exterior

- Single insulated hood and panels

- Reinforced door handle

- 420mm clearance

- Digital display

Model	Chemical Pumps		Water Softener		nsions Depth/		Power Supply	Price
AD1000-DPSO-30	Yes	Yes	Yes	645	710	1490	30 amp plug	£4,198
AD1000-DPSO-TPH	Yes	Yes	Yes	645	710	1490	Three-phase	£4.250



HOSHIZAKI

1

Year Parts & Labour

2-3 Working Davs Delivery

> Interest Free

HOBART PROFI 2 LEVEL DISHWASHER

- Power supply: 3 phase hard wired

- Racks per hour: 120

- Basket size: 500 x 500mm

- Upper level water consumption: 2.0L/rack

- Lower level water consumption: 2.5L/rack

- Additional wash chamber

- Automatic cycles: Short, Standard, Intensive, Starchremoval, Permanent, Hygiene and Utensil

- Heat and sound insulated hood
- Equipped with drain hose, drain pump, rinse pump and detergent dispenser
- Integrated WiFi module
- Tabling sold separately







HOSHIZAKI SELF-CONTAINED CUBED ICE MAKERS

- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Integrated door handles
- Foam injected polyurethane insulation
- Removable door gaskets
- Magnetic water pump
- Closed water circuit
- Electronic controls
- Air-cooled cooling system
- Legs are optional

Model	Capacity	Ice Per 24h		Dimensions (Width / Depth /		Price
IM-21CNE-HC	11.5kg	22kg	398	451	695	£1,574
IM-30CNE-HC	11.5kg	28kg	398	451	695	£1,798
IM-45CNE-HC	15kg	44kg	633	511	690	£2,660

£1.574



Model	Capacity	Ice Per 24h		nsions Depth/		Price
IM-65NE-HC	26kg	63kg	633	506	860	£3,344
IM-100NE-HC	50kg	105kg	704	506	1200	£4,766



MASTERFROST PROFESSIONAL BULLET ICE MAKERS

- Refrigerant: R452a
- Power supply: 13 amp plug
- Stainless Steel exterior finish
- Produces bullet-shaped ice with holes
- Hybrid water and air cooling system
- Ice weight: 18 32 grams
- Ice size adjustable from W16mm-38mm x H42mm
- Max ambient of 43°C

Model	Capacity	Ice Per 24h	Energy Consumption	Dimensions (mm) Width / Depth / Height			Price
C250FA	12-13kg	28kg	0.385 kWh/24h	400	560	670	£1,090
C400	18kg	40kg	0.575 kWh/24h	485	580	750	£1,398
C600	27kg	60kg	0.640 kWh/24h	485	580	840	£1,498
C660	35kg	66kg	0.720 kWh/24h	600	580	840	£1,598
C800	40kg	80kg	0.987 kWh/24h	710	580	880	£2,198
C1200	50kg	120kg	1.390 kWh/24h	815	580	940	£2,926



Years Parts Only DC100-60A £2,820 DC30-10A £1,540

DC SELF-CONTAINED CLASSIC GOURMET ICE MAKERS

- Refrigerant: R134a
- Power supply: 13 amp plug
- Stainless Steel exterior finish
- Antibacterial plastic interior
- Produces solid cubes of crystalline ice
 - Ice cools quickly and melts slowly
 - Insulated storage bin
 - Spray system technology
 - Max ambient of +43°C

Model	Capacity	Ice Per 24h	Dimensions (mm) Width / Depth / Height			Price
DC30-10A	10kg	30kg	465	517	692	£1,540
DC45-25A	25kg	45kg	497	592	907	£1,940
DC70-40A	40kg	70kg	735	603	1017	£2,540
DC100-60A	60kg	100kg	735	603	1117	£2,820

SCOTSMAN ECO-X SELF-CONTAINED GOURMET ICE MAKERS

- Refrigerant: R290 (AC206/226: R452a)
- Power supply: 13 amp plug
- Produces individual gourmet crystal clear ice cubes
- Agion technology resists the growth of microbes
- Advanced diagonstics & computerised controls
- Ergonomically designed storage access
- Stainless Steel exterior
- Legs are optional (AC47 and AC57 only)
- Optional water filters recommended

Model	Capacity	°C Abi	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C			ensions / Depth /		Price
AC 47	9kg	25kg	24kg	18kg	386	600	645	£1,394
AC 57	12kg	33kg	31kg	25kg	386	600	693	£1,628
AC 87	19kg	45kg	44kg	35kg	531	600	875	£1,908
AC 107	24kg	53kg	51kg	43kg	531	600	930	£2,186



Model	Capacity	°C Ab	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C			nsions Depth /		Price
AC 127	39kg	75kg	74kg	60kg	680	600	1009	£2,818
AC 177	48kg	84kg	83kg	64kg	680	600	1079	£3,460
AC 206	50kg	130kg	123kg	91kg	1250	622	859	£4,348
AC 226	70kg	150kg	142kg	110kg	1078	719	1082	£4,990

SCOTSMAN ECO-X SELF-CONTAINED GOURMET ICE MAKERS WITH XSAFE

- Refrigerant: R290 (EC206/226: R452a)
- Power supply: 13 amp plug
- Produces individual gourmet crystal clear ice cubes
- Agion technology resists the growth of microbes
- Advanced diagonstics & computerised controls
- XSafe: integrated natural sanitation system, operating automatically 24/7 to keep equipment clean & safe
- Front access condenser air filter, removable & washable
- Stainless Steel exterior

Model	Capacity	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C				ensions / Depth /		Price
EC 47	9kg	25kg	24kg	18kg	386	600	645	£1,928
EC 57	12kg	33kg	31kg	25kg	386	600	645	£2,400
EC 87	19kg	44kg	44kg	35kg	531	600	825	£2,792
EC 107	23kg	53kg	51kg	43kg	531	600	880	£2,950



Model	Capacity	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C			°C Abient / °C Water Dimensions (mm) Width / Depth / Height					Price
EC 127	39kg	75kg	74kg	60kg	680	600	1009	£3,808		
EC 177	48kg	84kg	83kg	64kg	680	600	1080	£4,178		
EC 206	50kg	130kg	123kg	91kg	1250	622	809	£5,716		
EC 226	70kg	145kg	142kg	110kg	1078	719	1082	£5,506		





HOSHIZAKI SELF-CONTAINED ICE FLAKERS

- Power supply: 13 amp plug
 - Stainless Steel exteriorInsulated storage bin
 - Integrated door handles
 - Polyurethane insulationRemovable door gaskets
 - Magnetic water pump
 - Closed water circuit
 - Easy to clean air filters
 - Air-cooled cooling system
 Legs are optional

Model	Capacity	Ice Per 24h		nsions Depth /		Refrigerant	Price
FM-60KE-HC	18kg	65kg	498	570	697	R290a	£4,340
FM-80KE-HC	26kg	85kg	640	600	800	R290a	£4,658
FM-120KE-HC	26kg	125kg	640	600	800	R290a	£5,206

Model	Capacity	Ice Per 24h	Dime Width /	nsions Depth /		Refrigerant	Price	
FM-120KE-50-HC	57kg	125kg	940	600	800	R290a	£5,734	
FM-150KE	26kg	150kg	640	600	800	R134a	£5,916	
FM-150KE-50	57kg	150kg	940	600	800	R134a	£6,520	

SCOTSMAN SELF-CONTAINED ICE FLAKERS WITH XSAFE

- Refrigerant: R134a
- Power supply: 13 amp plug
- Produces flaked ice perfect for storing fish or lab use
- Agion technology resists the growth of microbes
- Electronically controlled operation with self-diagnostic functions
- XSafe: integrated natural sanitation system, operating automatically 24/7 to keep equipment clean & safe
- Ergonomically convenient storage bin door
- Front-in, front-out airflow allows for built-in installations
- Stainless Steel exterior

Model	Capacity Ice Per 24 Hou			Water	Dimensions (mm) Width / Depth / Height			Price
AF 80	25kg	70kg	67kg	53kg	535	620	890	£4,752
AF 103	30kg	108kg	108kg	93kg	592	622	1078	£5,494
AF 124	40kg	122kg	113kg	91kg	950	605	872	£5,806



Model	Capacity	Ice Per 24 Hours °C Abient / °C Water 10/10°C 21/10°C 32/21°C	Dimensions (mm) Width / Depth / Height	Price
AF 156	60kg	160kg 150kg 118kg	950 605 1083	£6,764
AF 206	77kg	200kg 195kg 155kg	950 605 1083	£7,884

HOSHIZAKI Diamond

HOSHIZAKI SELF-CONTAINED CRESCENT ICE MAKERS

- Refrigerant: R134a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Reduced water & energy consumption
- Foam injected polyurethane insulation
- Removable door gaskets
- Magnetic water pump
- Closed water circuit
- Electronic controls
- Air-cooled cooling system
- Legs are optional

Model	Capacity	Ice Per 24h	Dimensions (mm) Width / Depth / Height			Price
KM-40B	16kg	43kg	452	617	842	£2,286
KM-55B	23kg	53kg	605	617	842	£2,618
KM-80B	40kg	79kg	605	719	842	£3,500



HOSHIZAKI SELF-CONTAINED **CUBELET ICE MAKER**







- Refrigerant: R290a
- Power supply: 13 amp plug
- Stainless Steel exterior
- Air-cooled cooling system
- Closed water circuit
- Magnetic water pump

Model	Capacity	Ice Per 24h	Dimensions (mm) Width / Depth / Height			Price
CM-50KE-HC	18kg	55kg	498	570	697	£4,340

DIAMOND SLUSH & SORBET MACHINES



- Refrigerant: R404a
- Power supply: 13 amp plug
- LED lighting
- Protected controls
- Refrigeration evaporator
- Space for advertising images

Model	Capacity		ensions (/ Depth /	Price	
FABY-1/AB	1 X 10L	200	600	840	£2,264
FABY-2/BB	2 X 10L	400	600	840	£3,926

FAMA DRINK MIXERS



- Power suppy: 13 amp plug
- Die-cast aluminium body
- Two speed motor
- Stainlesss Steel blades
- Supplied with Polycarb cups
- Wall mounted option available

Model	Capacity		ensions (/ Depth /	Price	
MF4	800ml cup	200	220	500	£498
MF4D	2 x 800ml cups	330	220	500	£958

DIAMOND CHILLED DRINK DISPENSERS





Years Parts & Labour

2-3 Working

Days Delivery



- Refrigerant: R134a
- Tropicalized thermal unit
- Power supply: 13 amp plug
- Refrigerant evaporator
- Polycarbonate tanks
- Rotating pallet system

Model	Capacity	Temperature	Dimensions (mm) Width / Depth / Height		Price	
DD12/2B	2 x 9L	+2°C to +8°C	400	400	650	£1,682
DD12/3T	3 x 9L	+2°C to +8°C	600	400	650	£2,272

Click here to go back to the contents page

AUTONUMIS BAG-IN-A-BOX MILK



- Power supply: 13 amp plug
- Built-in cooling compressor
- Easy to clean
- Removable drip tray
- Keeps milk fresh
- Fast, clean dispense

Model	Finish	Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
UGC00002	White	13.6L	+3°C to +8°C	360	400	740	£870
LGC00002	S/Steel	13.6L	+3°C to +8°C	360	400	740	£1,118

OMNIBLEND TOUCH CONTROL



- Power supply: 13 amp plug
- Stainless Steel blades
- Pulse function
- 2 litre co-polyester jug
- 38,000 RPM 3HP motor
- Built-in sensors
- Withstands heat of over 120°C
- *2 years (motors)/1 year (parts)

Model	Control	Capacity	Dime Width	Price		
TM-800 BLACK	Touch	2L	190	210	490	£430
TM-800 WHITE	Touch	2L	190	210	490	£430

DIAMOND BLENDERS



- - 2-4 Weeks

Year Parts Only

- Power supply: 13 amp plug
- Fitted with safety microswitch
- 4 hardened Stainless Steel blade arms for blending
- Quiet operating

Model	Speed	Capacity		nsions / Depth /	Price	
T1/B	Single	1.5L	213	200	416	£456
T1/VB	Variable	1.5L	213	200	416	£500

DIAMOND COFFEE GRINDERS







- Power supply: 13 amp plug
- 60mm grinder
- Acoustic level: 80dB
- Portion dosage adjustment from 5 to 12 grams
- Up to 30 minutes use

Model	Capacity	Power Supply		Dimensions (mm) Width / Depth / Height		Price
TAURO-NEW/B	1kg beans	0.3kw, 230v	180	310	560	£544
AUTO-80/B	2kg beans	0.36kw, 230v	210	355	650	£636

DIAMOND COFFEE PERCOLATOR







- Power supply: 13 amp plug
- Connection with the water supply network
- Delivered with 2 glass jugs
- Stop/start switch
- Output per hour: 120 cups

Model	Tank Capacity	Power Supply		Dimensions (mm) Width / Depth / Height		Price
PCF-A2/F	2.2L	2.25kw, 230v	196	360	430	£754

DIAMOND COFFEE MACHINES



- Power supply: 13 amp plug
- 3 pouring spouts
- Steam tap and hot water
- Machine with built-in volumetric motorpump
- Heated cup storage on top

Model	Operation	Capacity	Dime Width /	Dimensions (mm) Width / Depth / Height				
COMPACT/2PB	Manual / Semi-automatic	12L	475	530	530	£2,994		
COMPACT/2EB	Programmable / Automatic	12L	475	530	530	£3,444		

Click here to go back to the contents page

ecomax* **Diamond**

FAMA COUNTER-TOP ELECTRIC FRYERS

- MFR240 power supply: 13 amp plug
- MFR80/MFR280 power supply: Single phase hard wired
- Temperature range: 50°C to 180°C
- Stainless Steel construction
- Removable tank for cleaning
- Heavy-duty heating elements
- Stainless Steel splash guard
- Drainage tap versions available
- Fast oil heating
- Manufactured in Italy

Model	Fryers	Capacity	Wattage	Dimensions (mm) Width / Depth / Height		Price	
MFR80	Single	8kg	3.25Kw, 230v	340	430	310	£358
MFR240	Double	2 x 4kg	2 x 2Kw, 230v	430	430	310	£438
MFR280	Double	2 x 8kg	2 x 3.25Kw, 230v	620	430	310	£598



1 Year Parts & Labour 2-3 Working Days Delivery HEFRE74A2V £5,590 HEFRG74A £3,960

HOBART ECOMAX STANDING ELECTRIC & GAS FRYERS

- AISI 304 Stainless Steel 1.5mm thick worktop - Freestanding fryers on cupboards feature drain below for easy access
 - Moulded and continuously welded tanks
 - High output cast iron burner
 - Large cold zone ensures the quality of oil is maintained for longer
 - Large front drainer
 - Oil collection tank with Stainless Steel filter
 - Tilting electrical heating elements
 - Thermostatic temperature control

Model	Туре	Capacity	Wattage	Dimensions (mm Width / Depth / Heig			Price
HEFRBE74A	Electric	1 x 12L well	9kW	400	700	850	£3,830
HEFRE74A2V	Electric	2 x 7L wells	10.5kW	400	700	850	£5,590
HEFRBE77A	Electric	2 x 12L wells	18kW	700	730	850	£6,640

Model	Type	Capacity	Wattage		nsions Depth		Price
HEFRG74A	Gas	1 x 4L well	12.5kW	400	700	1180	£3,960
HEFRG74A2V	Gas	2 x 7L wells	12.5kW	400	700	1180	£5,520
HEFRG77A	Gas	2 x 14L wells	20kW	700	700	1180	£6,570

DIAMOND STANDING ELECTRIC



- Power supply: 3 phase
- Stainless Steel exterior
- Built-in oil filter
- Adjustable feet
- Cool zone to reduce debris
- Drain tap (ball valve)

Model	Capacity		nsions / Depth /		Price
FSM-2V6E/N	2 x 10L wells	400	650	980	£2,602
E17/F30A8-N	2 x 15L wells	800	700	920	£9,128

HOBART ECOMAX PASTA COOKERS



- S/Steel burner with selfstabilizing flame
- Straining grid for baskets
- S/Steel 1.5mm thick worktop Moulded edge for collection of liquids
 - Expansion zone for collecting starches

Model	Туре	Capacity	Wattage		Dimensions (mm) Width / Depth / Height		Price
HECPE74A	Electric	26 litres	5.5kW	400	700	850	£4,370
HECPG74A	Gas	26 litres	8.5kW	400	730	850	£4,320



FAMA CREPE & PANCAKE MAKERS



- 1 Year Parts & Labour
- Days Delivery

- Stainless Steel body
- Cast iron cooking surface
- Timer control
- LED control panel
- Homogeneous heating
- Stiffened heating element

Model	Cooking Surface	Power Supply	Temperature	Dime Width	nsions Depth/	(mm) Height	Price
CPS	1 x 350mm	13 amp plug	300°C max	370	412	178	£738
CPD	2 x 350mm	Single-phase	300°C max	760	410	178	£1,138

FAMA HEAVY-DUTY CONTACT GRILLS



- Power supply: 13 amp plug
- Cast iron plates with ceramic coating treatment
- Ribbed and smooth plates
- Stainless Steel body
- Removable drip tray

Model	Grills	Surface	Temperature	Dimensions (mm) Width / Depth / Height			Price
PDR3000S	Double	500 x 255mm	300°C max	515	435	235	£1,142
PDR3000	Double	610 x 245mm	300°C max	640	380	180	£1,070

HOBART ECOMAX SALAMANDER GRILLS WITH ADJUSTABLE HEIGHT

- Cabinets made in satin finished Stainless Steel
- Chrome plated steel grids
- Handles of thermally insulated material
- Extractable drip tray
- Electric heating 2/4 independent temperature zones
- Gas heating 2 radiant gas burners
- Incoloy heating elements
- Rapid heat up

Model	Туре	Wattage		Dimensions (mm) Width / Depth / Height		Price
SET1	Electric	4kW	600	450	500	£2,270
SAE561	Electric	4kW	600	450	500	£3,750
SAE651	Electric	4kW	700	400	350	£2,700
SAG660	Gas	7.4kW	750	400	350	£3,730



HOBART ECOMAX LAVA ROCK GAS



- AISI 304 S/Steel worktop
- Independent burners
- meat or fish
- Double face cast iron grid for S/Steel removable drawer for grease collection

1

Year Parts & Labour

Model	Wattage	Weight		nsions Depth		Price
HEPLG74A	7.5kW	55kg	400	730	850	£3,560
HEPLG78A	15kW	98kg	800	730	850	£5,550

HOBART ECOMAX ELECTRIC GRIDDLES ON OPEN CUPBOARDS



- S/Steel 1.5mm thick worktop Temperature control
- Built in 15mm smooth or ribbed steel top
- Optional backsplash available
- Grease collection drawer

Model	Griddle Type	Wattage	Dimensions (mm) Width / Depth / Height		Price	
HEFTBE74AL	Smooth Only	5kW	400	730	850	£3,130
HEFTBE77AL	Smooth Only	10kW	700	730	850	£4,400
HEFTBE77ALR	Smooth & Ribbed	10kW	700	730	850	£4,740



HOBART ECOMAX GAS GRIDDLES ON OPEN CUPBOARDS



- S/Steel 1.5mm thick worktop
- Built in 15mm smooth or ribbed steel top
- Temperature control
- Optional backsplash available
- Grease collection drawer

Model	Griddle Type	Wattage	Dimensions (mm Width / Depth / Heig			Price
HEFTBG74AL	Smooth Only	6kW	400	730	850	£3,350
HEFTBG77AL	Smooth Only	14kW	700	730	850	£4,510
HEFTBG77ALR	Smooth & Ribbed	14kW	700	730	850	£4,910

HOBART ECOMAX INDUCTION HOBS ON OPEN CUPBOARDS



- Fast-heating hot plates
- Fixed watertight cast iron plates
- Optimise power control
- Indicator lights show when each hot plate is on
- 6 different power levels

Mode	I	Wattage	Weight		nsions Depth	Price	
HEIN74	Α	7kW	53kg	400	730	850	£11,870
HEIN77	'A	14kW	76kg	800	730	850	£18,910

HOBART ECOMAX 4 ZONE SOLID TOP ELECTRIC HOB ON OPEN CUPBOARD







- Fast-heating hot plates
- Fixed watertight cast iron plates
- Optimise power control
- Indicator lights show when
- each hot plate is on
- Rounded corners

Model	Туре	Wattage		nsions / Depth /	Price	
НЕТРЕ77А	Electric	9kW	700	730	850	£4,750

HOBART ECOMAX SOLID TOP GAS HOB ON OPEN CUPBOARD







- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- 60% certified efficiency
- Watertight pressed worktop
- Rounded corners

Model	Туре	Wattage	Dimensions (mm) Width / Depth / Height			Price
HETPG77A	Gas	10kW	700	730	850	£3,910

HOBART ECOMAX ELECTRIC PLATED HOBS ON OPEN CUPBOARDS



- Fast-heating hot plates
- Fixed watertight cast iron plates
- Optimise power control
- Indicator lights show when each hot plate is on
- Rounded corners

Model	Туре	Hobs	Wattage		Dimensions (mm) Width / Depth / Height		Price
HEPR74A	Electric	x2	4.1kW	400	730	850	£2,250
HEPR77A	Electric	x4	8.2kW	700	730	850	£3,100

HOBART ECOMAX GAS BURNER HOBS ON OPEN CUPBOARDS



- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- 60% certified efficiency
- Watertight pressed worktop
- Rounded corners

Model	Туре	Hobs	Wattage		Dimensions (mm) Width / Depth / Height		Price
HEFB74AXL	Gas	x2	14kW	400	730	850	£2,310
HEFB77AXL	Gas	x4	28kW	700	730	850	£3,270

HOBART ECOMAX ELECTRIC SOLID TOP HOB WITH OVEN







- zones from 80°C to 450°C
- Fast-heating hot plates
- Independent control of the 4 Watertight cast iron plates
 - Indicator lights show when each hot plate is on

Model	Туре	Wattage	Dimensions (mm) Width / Depth / Height		Price	
HETPE77FE	Electric	14.3kW	700	730	850	£6,320

HOBART ECOMAX GAS SOLID TOP HOB WITH OVEN







- Gas central bullseye: 500°C to 200°C at edge
- Protected pilot flame
- Cast iron removable burners with self-stabilizing flame
- Watertight pressed worktop

Model	Туре	Wattage		nsions / Depth /	Price	
HETPG77FG	Gas	16kW	700	730	850	£5,490

HOBART ECOMAX ELECTRIC PLATED HOBS WITH OVEN







- Independent control of the 4 - Watertight cast iron plates zones from 80°C to 450°C

- Fast-heating hot plates

- Indicator lights show when each hot plate is on

Model	Туре	Hobs	Wattage		nsions Depth /		Price
HEPR77FE	Electric	x4	13.5kW	700	730	850	£5,380
HEPR711FE	Electric	х6	17.6kW	1100	730	850	£6,240

HOBART ECOMAX GAS BURNER HOBS WITH OVEN







Days Delivery

- to 200°C at edge
- Protected pilot flame
- Gas central bullseye: 500°C Cast iron removable burners with self-stabilizing flame
 - Watertight pressed worktop

Model	Туре	Hobs	Wattage	Dimensions (mm) Width / Depth / Height			Price
HEFB77FGXL	Gas	x4	34kW	700	730	850	£4,840
HEFB711FGMXL	Gas	х6	50kW	1100	730	850	£6,910

HOBART ECOMAX AMBIENT WORKTOP WITH OPEN CUPBOARD



- Suite perfectly with other modules to create a
- AISI 304 1.5mm thick Stainless Steel worktop
- consistent flow between them Moulded front for easy clean

Model	Rear Flue	Weight	Dimensions (mm) Width / Depth / Height			Price
HEN74A	Yes	30kg	400	730	850	£1,530
HEN77A	Yes	45kg	700	730	850	£1,910

HOBART ECOMAX FULL TOUCH ELECTRIC COMBI OVENS





- Full touch display with handy & intuitive icons
- x6 fans speeds
- 70mm space runners to achieve even heat distribution
- Smart wash cleaning program

Model	Grids	Temperature	ture Dimensions (mm) Width / Depth / Height			Price
HECMFE6	6 x 1/1GN	+40°C to +250°C	890	795	720	£8,220
HECMFE10	10 x 1/1GN	+40°C to +250°C	890	795	980	£10,630

Diamond

DIAMOND ELECTRIC PIZZA OVENS



- Year Parts
- Lead-Time

- Power supply: 3 phase
- Stainless Steel exterior
- 15 minute timer
- Cook pizzas in 3 mins 30 sec
- Stone base
- Double insulated door

Model	Pizza Capacity	Temperature	Dimensions (mm) Width / Depth / Height		Price	
PIZZA-QUICK/43	1 x430mm	350°C max	670	580	270	£1,374
PIZZA-QUICK/43-2C	2 x 430mm	350°C max	670	580	500	£2,132
PIZZA-QUICK/66-43	2 x 330mm	350°C max	895	580	270	£2,132

DIAMOND DOUBLE-DECK ELECTRIC PIZZA OVENS







- Power supply: 3 phase
- Adjustable steam exhaust
- Integrated electric elements
- Stainless Steel exterior
- Double thermal handle
- Stone base

Model	Pizza Capacity	Temperature		nsions (Depth /		Price
LD8/35-N	8 x 350mm	500°C max	1070	1010	720	£5,370
LD12/35-N	12 x 350mm	500°C max	1070	1360	720	£6,246

DIAMOND ELECTRIC PIZZA OVENS

- Power supply: 13 amp plug
- 3 phase hard wired (EFP/66R only)
- Front side rustique aesthetics
- Made in high temperature painted steel
- High fibre glass insulation
- Chamber with Stainless Steel arcade
- Galvanised Stainless Steel chamber
- Door with security glass
- Heating by electric armoured elements
- Inner chamber light

Model	Pizza Capacity	Temperature		Dimensions (mm) Width / Depth / Height		Price
EFP/4R	4 x330mm	50°C to 450°C	980	930	420	£1,980
EFP/6R	6 x 330mm	50°C to 450°C	980	1210	420	£2,286
EFP/44R	8 x 330mm	50°C to 450°C	980	930	750	£3,304
EFP/66R	12 x 330mm	50°C to 450°C	980	1210	750	£3,870









DIAMOND GAS CONVEYOR PIZZA OVENS



25 x 500mm





- Power supply: 3 phase
- Thermal insulation - Ovens can be stacked
- Stainless Steel exterior Piezo ignition

FTGV 65/110-N

- Electronic controls

1550

2000

550

£24,564

Pizza Capacity Dimensions (mm) Width / Depth / Height Model Temperature Price FTGV 40/58-N 21 x 400mm 320°C max 1030 1300 440 £11,116 320°C max FTGV 50/85-N 25 x 450mm £19,270 1260 1750 490

320°C max

DIAMOND ELECTRIC CONVEYOR PIZZA OVENS







- Power supply: 3 phase
- Stainless Steel exterior
- Piezo ignition
- Thermal insulation
- Ovens can be stacked
- Electronic controls

Model	Pizza Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
FTEV 40/57-CB	18 x 400mm	320°C max	800	1270	390	£8,440
FTEV 40/58-N	21 x 400mm	320°C max	980	1300	440	£10,910
FTEV 50/85-N	25 x 450mm	320°C max	1260	1750	490	£19,060
FTEV 65/110-N	25 x 500mm	320°C max	1400	2000	550	£24,352

DIAMOND ROTATING HEATED PIZZA DISPLAY







- Power supply: 13 amp plug
- Stainless Steel exterior
- 4 glass panel sides
- Magnetic door with soft shut
- Water tray
- Rotating shelves

Model	Pizza Capacity	Temperature	Dimensions (mm) Width / Depth / Height			Price
PIZZA/D38	3 x 380mm	0°C to +90°C	465	430	590	£1,456
PIZZA/D42	3 x 420mm	0°C to +90°C	505	470	590	£1,604

DIAMOND HEATED PIZZA SERVING BASE



- Power supply: 13 amp plug
- Temperature knob
- Stainless Steel exteriorOn/off switch
- Heating through armoured

resistances

Model	Pizza Capacity	Temperature		nsions (/ Depth /		Price	
PIZ/SP	1 x 500mm	0°C to +60°C	500	500	90	£724	







DIAMOND SLOT TOASTERS







- Power supply: 13 amp plug
- Stainless Steel exterior
- Easy access
- Crumb-collecting drawer
- Gear shift for partial operating
- Timer with buzzer and light

Model	Capacity		nsions (/ Depth /		Price
D4GP-XP	4 slices	430	200	240	£536
D6GP-XP	6 slices	480	200	240	£622

FAMA CONVEYOR TOASTER WITH FRONT CHUTE







- Power supply: 13 amp plug
- Stainless Steel exterior Timer control

 - Ventilated motor - Crumb-collecting drawer

Model	Throughput		Dimensions (mm) Width / Depth / Height		Price
MRT700	700 slices per hour	340	410	360	£1,598

DIAMOND PLANETARY MIXER







- Power supply: 13 amp plug
- Stainless Steel bowl
- Variable speed control
- Beater, dough hook & whisk
- Safety micro switch
- Clear safety lid

Model	Capacity		ensions (/ Depth /		Price
BTM-7S/N	7L	240	410	437	£1,024

DIAMOND WHISK MIXERS







- Power supply: 13 amp plug
- Stainless Steel bowl
- 3 speed setting
- Beater, dough hook & whisk
- Safety micro switch
- Protective bowl guard

Model	Capacity		ensions (/ Depth /		Price
BM-10AT/N	10L	440	500	630	£1,938
BM-20AT/N	20L	515	560	770	£2,550

DIAMOND SPIRAL DOUGH MIXERS



- 1 Year Parts
- 2-4 Weeks Lead-Time

- Power supply: 13 amp plug
- Stainless Steel bowl
- Tilting head
- Safety micro switch
- Variable speed control - Removable bowl

Model	Capacity		ensions / Depth /		Price
NT22AL/T2V	22L	400	690	680	£2,846
NT33AL/T2V	33L	440	800	760	£3,274
NT42AL/T2V	42L	490	860	730	£3,832
NT53AL/T2V	53L	550	870	730	£3,974

FAMA HEAVY-DUTY VEG PREP







- Power supply: 13 amp plug Discs: slicing, grating & julienne
- Stainless Steel body - Ventilated motor
- Pulse button for precision
- Safety micro switch

Model	Discs	Throughput		nsions (Depth /		Price
FTV300E ELITE	х6	250kg - 450kg p/hr	280	490	530	£1,804



FAMA VARIABLE & FIXED SPEED STICK BLENDERS

- Power supply: 13 amp plug
- Stainless Steel motor cover
- Thermal overload protection
- Stainless Steel attachments
- Fully ventilated motor
- Polymer fixing point
- FM350VV400: 9 speed regulator
- Replaceable blades
- Whisk attachment only fits FM350VV400*
- Manufactured in Italy

Model	Speed	RPM	Weight	Dimensio Width /		Price
FM250VF250	Fixed	15,000	1.3kg	75	555	£540
FM350VF400	Fixed	15,000	2.90kg	130	790	£726
FM350VV400	Variable	15,000 max	2.90kg	130	790	£766
FAF (Whisk)	N/A	N/A	1.2kg	120	360	£178



DIAMOND LIGHT-DUTY GRAVITY



- Power supply: 13 amp plug
- Stainless Steel blade
- Ventilated motor

FA303

300mm / 12"

0 - 15mm

- Plexi-glass safety screen
- Integrated blade sharpener
- Anodised food grade aluminium

470

420

Model	Blade	Cutting Range		Dimensions (mm) Width / Depth / Height		Price
250/B-CE	250mm	0 - 15mm	470	470	370	£836

DIAMOND MEDIUM-DUTY GRAVITY



- Power supply: 13 amp plug
- Stainless Steel blade
- Ventilated motor
- Plexi-glass safety screen
- Integrated blade sharpener
- Anodised food grade aluminium

Model	Blade	Cutting Range	Dimensions (mm) Width / Depth / Height			Price
300E/B-CE	300mm	0 - 15mm	480	600	420	£1,488

FAMA HEAVY-DUTY GRAVITY FEED 1 **SLICERS** Year Parts - Power supply: 13 amp plug - Stainless Steel blade - Ventilated motor 1-2 Working - Plexi-glass safety screen Days Delivery - Integrated blade sharpener Anodised food grade aluminium Blade safety ring CE approved carriage locking FA253 £1,098 Lubricated carriage ball bearings Spacious feeding pan Powerful polyester belt - Manufactured in Italy Dimensions (mm) Width / Depth / Height Model Blade **Cutting Range** Price FA253 250mm / 10" 0 - 16mm 510 430 390 £1,098

£1,598



FAMA MEAT MINCERS

- Power supply: 13 amp plug
- Stainless Steel mincing group
- Structured in polished pressure die cast aluminium alloy
- Ventilated motor
- Stainless Steel motor cover band
- Easily removable mincing unit
- Self sharpening draw-plates
- Oil immersed gears made from steel
- Stainless Steel tray and hopper
- 24 volt controls
- ABS pestle
- Manufactured in Italy



Model	Throughput	Dimensions (mm) Width / Depth / Height			Price
FTS127 / TS12	200kg per hour	220	370	440	£1,032
FTS137 / TS22	300kg per hour	240	440	510	£1,214

FAMA MEAT MINCER AND CHEESE GRATER



- Year Parts & Labour
- 1-2 Working Days Delivery

- Power supply: 13 amp plug
- Ventilated motor
- Stainless Steel mincing group Safety micro switch
- Die-cast aluminium body
- Self-sharpening draw-plates

1	Model	Mincer Throughput	Grater Throughput		nsions (Depth /		Price
FTGM	126 / TG8	15kg per hour	30kg per hour	260	380	360	£836

FAMA MOZZARELLA CHEESE CUTTER



- Power supply: 13 amp plug
- Stainless Steel cutting cones
- AISI 304 Stainless Steel body Safety micro switch
- Thermal overload protection Asynchronous motor

Model	Mozzarella Throughput	RPM		nsions (Depth /		Price
FTMC102	50kg per hour	1400	220	420	440	£998

FAMA CHEESE GRATERS

- Power supply: 13 amp plug
- Structured in Stainless Steel
- Pressure die cast aluminium alloy and varnished case
- Stainless Steel grating roll plated with nikel electroless
- Heavy-duty asynchronous motor with thermal protection
- Stainless Steel cheese bowl
- Safety protection grid placed at the bottom of the grating mouth
- Safety micro switch
- Manufactured in Italy



Model	Cheese Throughput	RPM		nsions (/ Depth /		Price
FGM113	30kg per hour	1400	170	280	310	£438
FGS107	70kg per hour	1400	220	380	380	£798



MOFFAT STAINLESS STEEL ECO HOT CUPBOARDS







- Power supply: 13 amp plug
- Sahara fan blown heating system Polished S/Steel interior
- Removable rodded shelves
- Sliding doors for easy access
- Thermostatically controlled

Model	Capacity	Dimensio Width / Dep		Price
HC3E	3x1/1 GN	1212 75	900	£2,018
HC4E	4x1/1 GN	1540 75	60 900	£2,240

MOFFAT STAINLESS STEEL ECO HOT CUPBOARDS WITH BAIN MARIE







- Power supply: 13 amp plug
- Sahara fan blown heating system Polished S/Steel interior
- Sliding doors for easy access
- Removable rodded shelves
- Thermostatically controlled

Model	Capacity	Dimension Width / Dept		Price
HB3E	3x1/1 GN	1212 75	0 900	£2,399
HB4E	4x1/1 GN	1540 75	0 900	£2,670

MOFFAT VERSICARTE PRO HOT CUPBOARDS







- Power supply: 13 amp plug Drop down triple tube tray slide
- Removable rodded shelves Heated gantry with sneeze screen

Price
£2,040
£2,280
£2,340
£2,730

MOFFAT FOCUS HOT TOPS WITH HEATED PANELS & GANTRY



- Power supply: 13 amp plug
- Stainless Steel exterior
- Heated & illuminated gantry
- Perspex sneeze screen
- Toughened glass thermopanel elements

Model	Capacity		nsions (Depth /		Price
FTG2	2x1/1 GN	750	555	470	£782
FTG3	3x1/1 GN	1080	555	470	£1,023
FTG4	4x1/1 GN	1410	555	470	£1,230

MOFFAT VERSILIFT HEATED PLATE **DISPENSERS**



- 2 Years Parts
- Lead-Time

- Power supply: 13 amp plug
- Variable plate size setting
- Stainless Steel exterior
- Removable lid
- Variable temperature control Ideal for plate transportation

Model	Capacity		nsions (Price
HP1	75 plates	485	525	1015	£1,260
HP2	150 plates	485	800	1015	£1,735

MOFFAT VERSICARTE PRO CARVERY UNIT







- Power supply: 13 amp plug
- Heated gantry with sneeze screen
- removable carvery pads
- Removable rodded shelves - Drop down triple tube tray slide
- Fitted with plate warmer large enough for 65 plates

Model	Capacity	Dimensions (mm Width / Depth / Heig	
VC4CSTR	3x1/1 GN	1490 680 9	00 £4,150



Create an account with us today and gain access to some of our websites amazing features:







Quick Order




Media Centre



Special Offers

Sign up here or scan the QR code below:

www.bluebadger.co.uk/wholesale/account/create



SAMSUNG

Introducing the Samsung large capacity commercial washing machine and heat pump dryer range.

With a huge 18kg capacity, the stylish WF18T8000GV washer comes with a black caviar finish and tinted doors with black deco. It's cycles include: Heavy-Duty, Hygiene Steam, ECO and Intense Cold.

The equally stylish **DV16T8520BV** 16kg dryer boasts a **A+++** energy rating and comes included with Hygiene Care+ and Delicates cycles. **See page 63 or scan the QR code for more information.**









Adler is a high quality manufacturer of glasswashers and dishwashers. Established in 1960 in northern Italy, they have grown to become an innovative and highly specialised manufacturer with markets all over the world.

View our Adler warewashing range on pages 68-71 for more spec.





Easy maintenance and service thanks to a simple clear tank with tool-less removable filters and sharp free rack support, which facilitate daily cleaning on the machine even in the most difficult of parts. The automatic and self cleaning drain pump helps to drain out the water from the tank. This range also has easy access to components via a quick removable front panel which reduces service time.



Safe, robust and reliable during each cycle thanks to a thick insulated wall structure made of inox Stainless Steel AISI 304. Sturdy and double insulated door with reinforced hinges for long life reliability. The range is provided with an ergonomic and sharp free rack support. All of the warewashers are safely tested and strictly controlled before they are sent out to customers.



Efficient wash arms and wash motor pump in combination with a double filtration system and selection of different cycle programmes will ensure excellent washing results. In order to eliminate bacteria, the final rinse will reach temperatures of up to 85°C with a spray jet designed to cover every object placed in the racks. This range also offers adjustable rinse and detergent dispensers to achieve brilliant and clean dishes or glasses without flakes and stains.



Our efficient incoloy heater elements directly heat the water to reduce heat waste and increase energy saving. Detergent and rinse aid dispensers are also adjustable in order to optimize chemical dosing and reduce its consumption. All our warewashers are certified and tested by external laboratories to ensure high energy efficiency standards are met.



Saving costs of running and maintenance today is a must and only possible with an efficient wash system. The main factors that contribute to running costs of a warewasher are: water, energy and chemical consumption. Adler warewashers have reached a minimum level of waste, using new innovative systems that could save up to 45% on running costs in comparison to previous models.

TERMS & CONDITIONS

For a full copy of the Terms & Conditions please refer to the website prior to placing an order. If you are unclear on any of these points please speak to a member of the sales team for further advice prior to placing an order.

All orders accepted by the Seller will be subject to these Terms and Conditions of Sale.

PRICES

While every attempt will be made to adhere to our published "Price List" we reserve the right to alter or amend prices without prior notification. Prices quoted are exclusive of Value Added Tax.

CANCELLATION

The Seller will only accept cancellations as follows:

- a) If the Buyer cancels after goods have left our warehouse a charge of 25% of invoice value plus delivery charges will be levied.
- b) If the goods have been used by the Buyer or his Agent then the goods will be deemed unreturnable and the order cannot be cancelled.
- c) An additional charge of $\ \square$ 55+vat per item will be levied if the Seller is required to collect packaged goods from cancelled orders.
- d) Special equipment ordered by the Buyer will be subject to special conditions, Please contact our sales office for further details. Cancellation will not be accepted on special orders.

DELIVERY

Our free of charge standard delivery is to UK Mainland and will take place between 8-6pm. The leadtime varies and is clearly marked by product. The seller will at all times attempt to meet the Buyer's delivery requirements as communicated at point of order however the seller will not accept any liability for losses what so ever (including food losses and labour on site) sustained by a late delivery by the Seller or his Agents. Delivery dates are given as guide dates only and are under no contractual agreement. Additional services such as disposals/timed deliveries and unpack and positions are available but costs vary by product; please contact our sales office in advance of placing your order.

OWNERSHIP AND RISK

From the time of delivery to the Buyer or to the assigned point of delivery, the equipment shall be at the Buyer's risk. Ownership of the equipment shall not pass to the Buyer until payment in full has been received by the Seller.

The Buyer shall take the appropriate steps to notify any third party of the Sellers interest in the equipment and in the event of a threatened seizure of the equipment or of the appointment of a receiver or liquidator or administrator, shall, immediately notify the Seller and the Seller shall be entitled to repossess the equipment upon which the Seller retains Title from the Buyer's premises or location.

DAMAGE

It is the Buyer's responsibility to inspect the equipment at the time of taking delivery prior to signing to accept it. Drivers are given 15 minutes on site to allow for this. Product damage can occur without any obvious sign to the outer packaging so it is essential that the product itself is checked before signing to accept delivery.

Should equipment arrive damaged this must be recorded on the delivery note/drivers device and the Seller notified in writing within 24 hours. Claims for damage will not be entertained if the item has not been noted as damaged when signing the carrier's device or paperwork.

WARRANTY

The Warranty cover will depend on the appliance sold. All products are shown with the standard warranty offering. Where the manufacturer offers a parts only warranty we recommend that you purchase the upgrade available to cover the labour aspect of any service charges.

The validity of your warranty relies on the proper care and servicing of the appliance as laid in the manufacturer's manual. Call outs that are deemed to be user error will be charged on in full.

Any loss or damage to consumables caused by a failure of the equipment is to be the responsibility of the Buyer and should be covered by the Buyer's insurance.

WEEE DIRECTIVE

UK WEEE Regulations (SI2006/3289 Waste Electrical and Electronic Equipment Regulations 2006 as modified by any subsequent legislation).

Future WEEE: The Seller sells its products either retaining the Producer's obligations under the WEEE Regulations or with our customer taking on those responsibilities. In either case the customer must clearly state which of these options he requires and this must be documented.

The Seller will confirm this option on its order acceptance documentation. The customer must agree to disclose this agreement to any subsequent purchaser(s) of this equipment, as required by the regulations.

Historic WEEE The purchaser agrees to absolve The Seller from its obligations under the UK WEEE Regulations which require The Seller to be responsible for financing the collection, treatment, recovery and environmentally sound disposal of any product supplied before 13th August 2005, where a similar new product is being purchased.

The Company undertakes the collection, treatment, recovery and environmentally sound disposal of any product supplied before 13th August 2005 (or outside the scope of the WEEE regulations) subject to payment of its current disposal fees.

FORCE MAJEURE

The Seller shall not be liable in respect of any breach of contract due to any cause beyond his reasonable control including Act of God, inclement weather, flood, lightning or fire, industrial action or lockouts, the act or omission of Government, highways authorities, other competent authority, war, military operations or riot, or the act or omissions of any party for whom the Seller is not responsible.

APPLICABLE LAW

Any contract shall be deemed to be made in England according to English Law and subject to the jurisdiction of the English Courts.

